

## Publikációs és Citációs Lista

Szép Tibor

Nyíregyháza

2009. március 16.

**TUDOMÁNYOS FOLYÓIRATOKBAN MEGJELENT KÖZLEMÉNYEK JEGYZÉKE  
(Napilapban, ismeretterjesztő újságokban megjelent cikkeket az alábbi lista nem tartalmaz):**

**Folyóiratban megjelentek**

1. Székely, T., Szép, T., Juhász, T. 1989. Mixed species flocking of tits (*Parus* spp.): a field experiment. *Oecologia*, 78: 490-495.
2. Szép T. 1989. Madárgyűrűzési adatok számítógépes adatbankja. (Computerised Data Bank of Hungarian Bird Ringing) *Állattani Közlemények*, LXXV: 95-105.
3. Szép, T. 1990. Estimation of abundance and survival rate from capture - recapture data of Sand Martin (*Riparia riparia*) ringing. *The Ring*, 13: 204-214.
4. Szép, T. 1991. Partifecske (*Riparia riparia*) populáció egyedszámának és túlélési valószínűségének monitoringja a Felső-Tiszán. (Monitoring of the Population Size and Survival rate of the Sand Martin on the Upper Tisza) *Ornis Hungarica*, 1: 37-44.
5. Szép, T. 1991. The present and the historical situation on the Corncrakes in Hungary.- *Die Vogelwelt*, 112: 45-48.
6. Szép, T. 1991. A Tisza magyarországi szakaszán fészkelő partifecske (*Riparia riparia* (L.), 1758) állomány eloszlása és egyedszáma. (Number and Distribution of the Hungarian Sand Martin Population Breeding along the Hungarian Reaches of the River Tisza) *Aquila*, 98: 111-124.
7. Barta, Z. and Szép, T. 1992. The role of information transfer under different food patterns: a simulation study. *Behavioural Ecology*, 3: 318-324.
8. Szép, T. 1992. Study of the spring migration by weather radar in East-Hungary. *Ornis Hungarica*, 2: 17-24.
9. Szép, T. and Barta, Z. 1992. The threat to Bank Swallow from the Hobby at a large colony. *The Condor*, 94: 1022-1025.
10. Szép, T. 1992. Nine years old Sand Martin (*Riparia riparia*) recovery in Eastern Hungary. *Aquila*, 99: 189.
11. Szép, T., Barta, Z., Tóth, Z., Sóvári, Zs. 1995. Use of an electronic balance with bank swallow nests: a new field technique. *Journal of Field Ornithology*, 66: 1-11.
12. Szép, T. 1993. Changes of the Sand Martin (*Riparia riparia*) population in Eastern Hungary: the role of the adult survival and migration between colonies in 1986-1993. *Ornis Hungarica*, 3: 56-66.
13. Barta, Z. and Szép, T. (1994) Is information transfer always advantageous when food patchily distributed? A simple ESS model. *Ornis Hungarica*. 4: 25-30.
14. Demeter, L., Fatér, I., Szép, T. (1994) Degree and causes of destruction of great bustard (*Otis tarda*) nests in Hungarian populations. *Ornis Hungarica*, 4: 19-24.
15. Szép, T. 1995. Relationship between West African Rainfall and the Survival of the Central European Adult Sand Martin (*Riparia riparia*) population. *Ibis*, 137: 162-168.
16. Szép, T. (1995) Survival Rates of Hungarian Sand Martins and Their Relationship with Sahel Rainfall. *Journal of Applied Statistics*. 22: 891-904.
17. Barta, Z. and Szép, T. (1995) Frequency-dependent selection on information transfer strategies at breeding colonies: A simulation study. *Behavioural Ecology*, 6: 308-310.
18. Horváth, R., Szép, T. (1998) A magyarországi vízirigók állománycsökkenése. Magyar Madártani és Természetvédelmi Egyesület IV. Tudományos Ülése kiadványa, Nyíregyháza. (Declining of the dipper population in Hungary). *Ornis Hungarica*, 8 Suppl.: 9-16.
19. Vallner, J., Posta, J., Szép, T., Braun, M., Balogh, Á., Kiss, F. (1998) Kistömegű tollminták előkészítése és elemanalitikai vizsgálata ICP-AES módszerrel. *Magyar Kémiai Folyóirat*, 104: 298-302.
20. Szép, T. (1999) Effects of age- and sex-biased dispersal on the estimation of survival rates of the Sand Martin (*Riparia riparia*) population in Hungary. *Bird Study* 46: S169-177.
21. Szép, T. and Møller, A. P. (1999) Parent-offspring conflict, cost of parasitism and host immune defence. *Oecologia*, 119: 9-15.
22. Vallner, J., Posta, J., Szép, T., Braun, M., Balogh, Á., Kiss, F. (1999) Sample preparation and determination of the element content from low-weight feather samples. *Toxicological and*

Environmental Chemistry, 70: 297-304.

23. Szép, T. (1999) Monitoring of the sand martin (*Riparia riparia*), chances of forecasting a severe population decline. *Vogelwelt* 120: 349-353.
24. Szép, T. and Gibbons, D. W. (1999) Monitoring of common breeding birds (MMM) in Hungary using a randomised sampling design, EBCC pilot project. *Bird Census News*, 12: 38-51.
25. Szép, T. and Møller, A. P. (2000) Exposure to ectoparasites increases within-brood variability in size and body mass in the sand martin. *Oecologia*, 125: 201-207.
26. Szép, T. and Gibbons, D. (2000): Monitoring of common breeding birds in Hungary using a randomised sampling design. *The Ring* 22: 45-55.
27. Szép, T. (2000): A madármonitorizás új módszerei és lehetőségei. *Ornis Hungarica*, 10: 1-16.
28. Kenyeres, A., Wetstein, W. és Szép, T. (2000): Haris egyedek felismerése hangelemzés alapján. *Ornis Hungarica*, 10: 65-70.
29. Vallner, J., Posta, J., Prokish, J., Braun, M., Szép, T., Kiss, F. (2000) Metals and selenium in sand martin's plumage. *Bulletin of Environmental Contamination and Toxicology*, 65: 604-610.
30. Szép, T. és Nagy, K. (2001) Magyarországi UTM kvadrátok térinformatikai adatbázisa a Magyar Madártani és Természetvédelmi Egyesületnél. *Természetvédelmi Közlemények*, 9: 31-37.
31. Wettstein, W., Szép, T. Kéry, M. (2001) Habitat selection of Corncrakes (*Crex crex* L.) in Szatmár-Bereg (Hungary) and implications for further monitoring. *Ornis Hungarica*, 11: 9-18.
32. Møller, A. P. and Szép, T. (2002) Survival rate of adult barn swallows *Hirundo rustica* in relation to sexual selection and reproduction. *Ecology*, 83: 2220–2228.
33. Szép, T., Nagy Zs., Szabó D. Z., Vallner J. (2002) 2000 évi szennyezések hatása a Tisza mentén fészkelő madarakra. *Acta Biologica Debrecina Supplementum Oecologica Hungarica* 11/2: 165-186
34. Szép, T. Szabó, D., Z. and Vallner, J. 2003. Integrated population monitoring of sand martin *Riparia riparia* – an opportunity to monitor the effects of Environmental disasters along the river Tisza. *Ornis Hungarica*, 12-13: 169-182.
35. Wettstein, W. and Szép, T. 2003. Status of the Corncrake *Crex crex* as an indicator of biodiversity in eastern Hungary. *Ornis Hungarica*, 12-13: 143-149.
36. Szállassy, N, Bárdosi, E., Szabó D., Z., Szép, T., Dévai, Gy. 2003. Fluctuating asymmetry, survival and mating success in male *Libellula fulva* (Anisoptera: Libellulidae). *Odonatologica* 32: 143-151
37. Szép, T., Møller, A.P., Vallner, J., Kovács, B. and Norman, D. 2003. Use of trace elements in feathers of sand martin *Riparia riparia* for identifying moulting areas. – *J. Avian Biol.* 34: 307-320.
38. Saino, N., T. Szép, M. Romano, D. Rubolini, F. Spina and A. P. Møller. 2004. Ecological conditions during winter predict arrival date at the breeding quarters in a trans-Saharan migratory bird. *Ecology Letters* 7: 21-25.
39. Saino, N, T., Szép, R., Ambrosini, M., Romano and A., P. Møller. 2004. Ecological conditions during winter affect sexual selection and breeding in a migratory bird. *Proc. R. Soc. Lond. B.* 271: 681-686.
40. Pap, P.L., Tökölyi, J., Szép, T. 2005. Frequency and consequences of feather holes in Barn Swallows *Hirundo rustica*. *Ibis* 147: 169-175.
41. Møller, A.P. and Szép, T. 2005. Rapid evolutionary change in a secondary sexual character linked to climatic change. *Journal of Evolutionary Biology*, 18: 481-495.
42. Pap, P.L., Tökölyi, J. and Szép, T. 2005. Host–symbiont relationship and abundance of feather mites in relation to age and body condition of the barn swallow (*Hirundo rustica*): an experimental study. *Canadian Journal of Zoology* 83: 1059-1066
43. Møller, A. P., T. A. Mousseau, G. Milinevsky, A. Peklo, E. Pysanets and T. Szép 2005. Condition, reproduction and survival of barn swallows from Chernobyl. *Journal of Animal Ecology* 74: 1102-1111
44. Pauliny, P., Wagner, R.H., Augustin, J., Szép, T. and Blomqvist, D. (2006) Age-independent telomere length predicts fitness in two bird species. *Molecular Ecology*, 15: 1681-1687.
45. Szép, T., Møller, A.P., Piper, S., Nuttall, R., Szabó, D.Z., Pap, P.L. (2006) Searching for potential wintering and migration areas of a Danish Barn Swallow population in South Africa by using an NDVI and a survival method. *Journal of Ornithology*, 147: 245-253. DOI 10.1007/s10336-006-0060-x
46. Pap, P.L., Szép, T., Tökölyi, J., Piper, S. 2006. Habitat preference, escape behavior and cues used by feather mites to avoid molting wing feathers. *Behavioral Ecology*, 17: 277-284.

47. Szép, T., Halmos, G., Nagy, K. 2006. Madarak monitorozása - lehetőség a természeti állapotot befolyásoló regionális, országos és globális hatások nyomon követésére. *Magyar Tudomány*, 176: 675-679.
48. Szép, T. és Nagy, K. 2006. Magyarország természeti állapota az EU csatlakozáskor az MME Mindennapi Madaraink Monitoringja (MMM) 1999-2005 adatai alapján. *Természetvédelmi Közlemények* 12: 5–16.
49. Augustin, J., Blomqvist, D., Szép, T., Szabó, D.Z., Wagner, R.H. (2007) No evidence of genetic benefits from extra-pair fertilisations in female sand martins (*Riparia riparia*). *Journal of Ornithology*, 148: 189-198. DOI 10.1007/s10336-006-0119-8
50. Szép, T., Møller, A.P., Piper, S., Nuttall, R., Szabó, D.Z., Pap, P.L. (2007) Migratory connectivity in barn swallows and other hirundines. *Journal of Ornithology*, 148: 257-260. DOI 10.1007/s10336-007-0124-6.
51. Erdős, S., Szép, T., Báldi, A., Nagy, K. 2007. Mezőgazdasági területek felszínborításának és tájszerkezetének hatása három madárfaj gyakoriságára. *Tájökológiai Lapok*, 5: 161-172.
52. Helfenstein, F., Szép, T., Nagy, Z., Kempnaers B., Wagner, R. 2008. Between-male variation in sperm size, velocity and longevity in sand martins *Riparia riparia*. *Journal of Avian Biology*, 39: 647-652.
53. Báldi, A., Szép T. 2009. A hazai állatvilág ökológiai állapota és jövője. *Magyar Tudomány*, 170: 58-61.
54. Szép, T., Hobson, K. A., Vallner, J., Piper, S. E., Kovács, B., Szabó D. Z. and Møller, A. P. (in press) Comparison of trace element and stable isotope approaches to the study of migratory connectivity: An example using two hirundine species breeding in Europe and wintering in Africa. *Journal of Ornithology*. DOI: 10.1007/s10336-009-0382-6

### Folyóiratban megjelent előadás kivonat

1. Szép, T. (1997) The role of the different interest in the colony formation of sand martin (*Riparia riparia*). *Advances in Ethology*, 32: 217.
2. Szép, T. (1998) The role of the different interests in colony formation of Sand Martin (*Riparia riparia*). *Ostrich*, 69: 268.
3. Szép, T., Vallner, J., Hobson, K., Møller, A.P., Piper, S.E. and Underhill, L.G. (2005) Comparison of trace elements and stable isotopes for identifying moulting areas. *Alauda* 73, 250.
4. Piper, S.E., Szép, T., Vallner, J. and Underhill, L.G. (2005) Identifying centres of origin of Barn Swallows of individuals that moulted in southern Africa. *Alauda* 73, 251.
5. Vallner, J., Szép, T., Piper, S.E. and Underhill, L.G. (2005) Measurement of the trace elements profiles of swallow feathers in the African moulting areas, methodological issues. *Alauda* 73, 251-252.

### Könyvek, könyvrészletek

1. Szép, T. 1986. Fogás-visszafogás módszerek alkalmazása madárgyűrűzési adatokra. (Using Capture-Recapture Methods for Bird Ringing Data) 2nd Sci. Meet. of Hung. Orn. Soc., Szeged: 149-154.
2. Szép, T. 1986. Partifecske (*Riparia riparia* (L.), 1758) populációbiológiai vizsgálata. Diplomadolgozat (Populationbiological Study of the Sand Martin. M.Sc. Thesis), Kossuth Lajos University, Debrecen.
3. Szép, T. 1990. Monitoring Sand Martin (*Riparia riparia*) populations based on abundance and survival parameters. p: 459-465. In: K. Stastny, V. Bejcek (eds.): International Bird Census Atlas Studies. Proc. XIth Int. Conf. on Bird Census and Atlas Work. Prague.
4. Szép, T. 1990. Partifecske (*Riparia riparia* (L.), 1758) telepes fészkelése, különös tekintettel az információcentrum-hipotézisre. Doktori értekezés (Colonial Breeding of the Sand Martin, Special Respect to the Information Centre Hypothesis. Ph.D. Thesis), Kossuth Lajos University, Debrecen.
5. Szép, T. and Barta, Z. (1991): Táplálkozási szinkronitás vizsgálata partifecske (*Riparia riparia*) telepen. (Investigation of Synchrony on the Foraging of Sand Martin Colony). Publication of 3th

Scientific Conference of the Hungarian Ornithological Society, Szombathely: 49-68.

6. Szép, T. 1993. Partifecske (*Riparia riparia* (L.), 1758) telepes fészkelése, kérdések és lehetőségek. (Colonial Breeding of the Sand Martin, Questions and Possibilities. C. Sc. Thesis) Kandidátusi Disszertáció, Budapest.
7. Szép T., Waliczky Z. 1993. Ritka és telepesen fészkelő madarak monitoring programja. MME, Budapest
8. Szép, T. 1994. Monitoring the Size, Distribution and Survival of Sand Martin (*Riparia riparia*) Breeding Population in Hungary. In: E. J. M. Hagemeijer and T. J. Verstrael (eds.). BIRD NUMBERS 1992, Distribution, monitoring and ecological aspects, 12th International Conference of IBCC and EOAC, CBS and Sovon, Beek-Ubbergen, 213-218.
9. Vallner, J., Posta, J., Braun, M., Szép, T., Kiss, F. (1996) A study of improve efficiency in microwawe digestion process relating to sample preparation. In: Proc.7. International Trace Element Symposium (Ed.:I.Pais), Budapest.
10. Báldi, A., Moskát, Cs. and Szép, T. (1997): Nemzeti Biodiverzitás-monitorozó Rendszer IX. Madarak. (National Monitoring System of Biodiversity IX. Birds) Magyar Természettudományi Múzeum, Budapest.
11. Mead, C. and Szép, T. (1997) Sand Martin. In: The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. (eds.) Hagemeijer, W.J.M. and Blair, M., J., T & A D Poyser, London
12. Szép T. (1997): Natural values and condition for the sustainable development along the Upper Tisza. In: Proceedings of the 2nd International Regional Conference on Environmental and Economical Development, Nyíregyháza, 1997: p. 37-41.
13. Szép T. (1998): Partifecske. In: Magyarország madarai (ed: Haraszthy, L.). p 252-256., Mezőgazda, Budapest.
14. Szép T. (1998): Füstifecske. In: Magyarország madarai (ed: Haraszthy, L.). p 252-256., Mezőgazda, Budapest.
15. Szép T. (1998): Molnárfecske. In: Magyarország madarai (ed: Haraszthy, L.). p 252-256., Mezőgazda, Budapest.
16. Szép T. (2001) A cián és nehézfém szennyezések hatása a rovar- és hlevő madarakra. Civilek a Tiszáért Konferencia kötet, NIMFEA, Szarvas (ed: Röfler, J.) p94-98.
17. Szép, T. és Nagy, K. (2002) Mindennapi Madaraink Monitoringja (MMM) 1999-2000. Magyar Madártani és Természetvédelmi Egyesület, Budapest
18. J. Vallner, T. Szép, B. Kovács, F. Kiss: Element content of feathers of Sand Martins *Riparia riparia* influencing factors: moulting site and age. (2003) Proceedings book of 4th International Symposium on Trace Elements in Human: New Perspectives, Athens, Greece, 9-11 October, 2003.
19. Szép T és Møller, A. P. (2005) Environmental conditions on migration and the winter quarters and survival of migratory birds. In. Birds of Two World (ed. Greenberg, R. and Marra, P.) Johns Hopkins Press, Washington
20. Szép T. és Nagy Zs. 2005. A tiszai folyómeder természetes mozgásának szerepe a természeti értékek megőrzésében. III. Magyar Természetvédelmi Biológiai Konferencia, pp 67.
21. Szép T és Nagy K. 2005. Magyarország természeti állapota az EU csatlakozás előtt, a Mindennapi Madaraink Monitoringja (MMM) adatai alapján. III. Magyar Természetvédelmi Biológiai Konferencia, pp 210.
22. Erdős S., Szép T., Báldi A., Nagy K. 2006 Association of the skylark, the tree sparrow and the corn bunting with farmland habitats and landscapes in Hungary. 1st European Congress of Conservation Biology, „Diversity for Europe”, pp 108.
23. Szép T és Szabó D. Z. 2006. Globális és lokális hatások szerepe a vonuló madarakra. VII. Magyar Ökológus Kongresszus, pp 199.
24. Nagy K, Szép T, Nagy Zs, Halmos G 2006. Természeti állapot monitorozása országos léptékben, a gyakori madarak adatai alapján. VII. Magyar Ökológus Kongresszus, pp 156.
25. Erdős S, Szép T, Báldi A, Nagy K 2006. Három mezőgazdasághoz kötődő madárfaj élőhelyhasználatának modellezése az MMM alapján. VII. Magyar Ökológus Kongresszus, pp 57.
26. Szép T. 2008. Integrált partifecske monitoring a Tiszán, a madárgyűrűzés jelentősége és lehetőségei a fészkelőállományok vizsgálatában. MME VII. Tudományos Ülése. EJF. pp. 13.

27. Szép T. 2008. Partifecske kutatás – populációs változások nyomában a Tiszától Afrikáig, a párválasztástól a Tisza meanderezésig. V. Magyar Természetvédelmi Biológiai Konferencia. MBT. pp.16.

## CITÁCIÓS LISTA

Függő citációk külön felsorolva a citált közleményeknél  
(Tartalmazza a Szép T. és Szep T. néven kapott citációkat)

- 332 db független
  - 73 db db függő
- Folyóirat-citációknál a folyóirat neve, adott száma, oldalszám, megjelenés ideje, valamint a szerzők neve megadva, ISI formátumban
- Székely, T., Szép, T., Juhász, T. 1989. **Mixed species flocking of tits (*Parus* spp.): a field experiment.** *Oecologia*, 78: 490-495.
1. Chamberlain, D.E., Glue, D.E., Toms, M.P. 2009. Sparrowhawk *Accipiter nisus* presence and winter bird abundance. *JOURNAL OF ORNITHOLOGY*, 150: 247-254.
  2. Shaw, L.M., Chamberlain, D., Evans, M. 2008. The House Sparrow *Passer domesticus* in urban areas: reviewing a possible link between post-decline distribution and human socioeconomic status. *JOURNAL OF ORNITHOLOGY*, 149: 293-299.
  3. Morgan, T., Fernandez-Juricic, E. 2007. The effects of predation risk, food abundance, and population size on group size of brown-headed cowbirds (*Molothrus ater*). *ETHOLOGY*, 113: 1173-1184.
  4. Thomson, R.L., Ferguson, J.W.H. 2007. Composition and foraging behaviour of mixed-species flocks in two adjacent African woodland habitats: a spatial and temporal perspective. *Ostrich*, 78: 65-73.
  5. Mills, A.M. 2005. Can breeding habitat be sexually selected? *AUK*, 122: 689-700.
  6. Beauchamp, G. 2004. Reduced flocking by birds on islands with relaxed predation. *Proceedings of the Royal Society of London Series B-Biological Sciences*, 271: 1039-1042.
  7. Gibson, R.M., Aspbury, A.S., McDaniel, L.L. 2002. Active formation of mixed-species grouse leks: a role for predation in lek evolution? *Proceedings of the Royal Society of London Series B-Biological Sciences*, 269: 2503-2507.
  8. Nakamura, M., Shindo, N. 2001. Effects of snow cover on the social and foraging behavior of the great tit *Parus major*. *Ecological Research*, 16: 301-308.
  9. Forsman, J.T., Monkkonen, M., Hukkanen, M. 2001. Effects of predation on community assembly and spatial dispersion of breeding forest birds. *Ecology*, 82: 232-244.
  10. Barta, Z., Giraldeau, L.A. 2000. Daily patterns of optimal producer and scrounger use under predation hazard: A state-dependent dynamic game analysis. *American Naturalist*, 155: 570-582.
  11. Jablonski, P.G., Lee, S.D. 2000. Foraging sites of Marsh Tits (*Parus palustris*) in presence and absence of hawks in mixed-species flocks in Korea. *Ornis Fennica*, 77: 39-42.
  12. Kubota, H., Nakamura, M. 2000. Effects of supplemental food on intra and inter-specific behaviour of the Varied Tit *Parus varius*. *Ibis*, 142: 312-319.
  13. Jablonski, P.G., Lee, S.D. 1999. Foraging niche differences between species are correlated with body-size differences in mixed-species flocks near Seoul, Korea. *Ornis Fennica*, 76: 17-23.
  14. Dolby, A.S., Grubb, T.C. 1999. Functional roles in mixed-species foraging flocks: A field manipulation. *AUK*, 116: 557-559.
  15. Dolby, A.S., Grubb, T.C. 1998. Benefits to satellite members in mixed-species foraging groups: an experimental analysis. *Animal Behaviour*, 56: 501-509.
  16. Barta, Z., Giraldeau, L.A. 1998. The effect of dominance hierarchy on the use of alternative foraging tactics: A phenotype-limited producing-scrounging game. *Behavioral Ecology and Sociobiology*, 42: 217-223.
  17. Hino, T. 1998. Mutualistic and commensal organization of avian mixed-species foraging flocks in a forest of Western Madagascar. *Journal of Avian Biology*, 29: 17-24.
  18. Forsman, J.T., Monkkonen, M., Inkeroinen, J., Reunanen, P. 1998. Aggregate dispersion of birds after encountering a predator: experimental evidence. *Journal of Avian Biology*, 29: 44-

- 48.
19. Newton, I. 1998. Population limitation in Birds. Academic Press, London. p 597.
  20. Beauchamp, G., Giraldeau, L.A., Ennis, N. 1997. Experimental evidence for the maintenance of foraging specializations by frequency-dependent choice in flocks of spice finches. *Ethology Ecology & Evolution*, 9: 105-117.
  21. Monkkonen, M., Forsman, J.T., Helle, P. 1996. Mixed-species foraging aggregations and heterospecific attraction in boreal bird communities. *Oikos*, 77: 127-136.
  22. Poulsen, B.O. 1996. Relationships between frequency of mixed-species flocks, weather and insect activity in a montane cloud forest in Ecuador. *Ibis*, 138: 466-470.
  23. Yaukey, P.H. 1995. Effects of food supplementation and predator simulation on nuthatches and parids within mixed-species flocks. *Wilson Bulletin*, 107: 542-547.
  24. Wilson, W.H. 1994. The distribution of wintering birds in Central Maine - the interactive effects of landscape and bird feeders. *Journal of Field Ornithology*, 65: 512-519.
  25. Cimprich, D.A., Grubb, T.C. 1994. Consequences for carolina-chickadees of foraging with tufted-titmice in winter. *Ecology*, 75: 1615-1625.
  26. Hutto, R.L. 1994. The composition and social-organization of mixed-species flocks in a tropical deciduous forest in Western Mexico. *Condor*, 96: 105-118.
  27. Juhász, L., Vas, A. 1994. Egy mesterséges fészekodútelep madárállományának dinamikája és költésbiológiája. *Aquila*, 101: 183-199.
  28. Suhonen, J., Halonen, M., Mappes, T. 1993. Predation risk and the organization of the parus guild. *Oikos*, 66: 94-100.
  29. Juhász, L., Vas, A. 1993. A széncinege (*Parus maior*), a kék cinege (*Parus caeruleus*) és a barátcinege (*Parus palustris*) populációinak kormegoszlása egy keményfa ligeterdőben a Hajdúsági Erdőpusztán. *Aquila*, 100: 211-224.
  30. Grubb, T.C., Cimprich, D.A. 1990. Supplementary food improves the nutritional condition of wintering woodland birds - evidence from ptilochronology. *Ornis Scandinavica*, 21: 277-281.

***Függő citáció:***

31. Szekely, T., Sozou, P.D., Houston, A.I. 1991. Flocking behavior of passerines - a dynamic-model for the nonreproductive season. *Behavioral Ecology and Sociobiology*, 28: 203-213.
- **Szép, T. 1990. Estimation of abundance and survival rate from capture - recapture data of Sand Martin (*Riparia riparia*) ringing. *The Ring*, 13: 204-214.**
    32. Cowley, E., Siriwardena, G.M. 2005. Long-term variation in survival rates of Sand Martins *Riparia riparia*: dependence on breeding and wintering ground weather, age and sex, and their population consequences. *Bird Study*, 52: 237-251.
    33. Moffatt, K.C., Crone, E.E., Holl, K.D., Schlorff, R.W., Garrison, B.A. 2005. Importance of hydrologic and landscape heterogeneity for restoring bank swallow (*Riparia riparia*) colonies along the Sacramento River, California. *Restoration Ecology*, 13: 391-402.
    34. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): *Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Waiptails*. Lynx Edicions, Barcelona, p 863.
  - **Szép, T. 1990. Monitoring Sand Martin (*Riparia riparia*) populations based on abundance and survival parameters. pp 459-465. In: K. Stastny, V. Bejcek (eds.): *International Bird Census Atlas Studies. Proc. XIth Int. Conf. on Bird Census and Atlas Work. Prague*.**
    35. Magyar, G., Hadarics, T., Waliczky, Z., Schmidt, A., Nagy, T., Bankovics, A. 1998. Magyarország Madarainak Névjegyzéke. KTM Madártani Intézet, MME, Winter Fair. Budapest-Szeged. p 202.
  - **Szép, T. 1991. The present and the historical situation on the Corncrakes in Hungary. *Die Vogelwelt*, 112: 45-48.**



36. Magyar, G., Hadarics, T., Waliczky, Z., Schmidt, A., Nagy, T., Bankovics, A. 1998. Magyarország Madarainak Névjegyzéke. KTM Madártani Intézet, MME, Winter Fair. Budapest-Szeged. p 202.
37. Gorman, G. 1996. The Birds of Hungary. Christopher Helm Ltd. London. p 192.
- **Szép, T. 1991. A Tisza magyarországi szakaszán fészkelő partifecske (*Riparia riparia* (L.), 1758) állomány eloszlása és egyedszáma. *Aquila*, 98: 111-124.**
38. Heneberg, P. 2003. Soil particle composition affects the physical characteristics of Sand Martin *Riparia riparia* holes. *Ibis*, 145: 392-399.
39. Brown, C.R., Brown, M.B. 2000. Nest spacing in relation to settlement time in colonial cliff swallows. *Animal Behaviour*, 59: 47-55.
40. Szombath, Z., Kohl, I., Kónya, I., Libus, A., Szombath, I., Sárkány-Kiss, E. 1993. A Maros romániai szakaszán fészkelő partifecske- (*Riparia riparia*) állomány helyzete 1991-ben. *Aquila*, 100: 193-199.
41. Brown, C.R., Brown, M.B. 1996. Coloniality in the Cliff Swallow, The effect of Group Size on Social Behaviour. The University of Chicago Press. Chicago
42. Heath, M.F., Evans, M.I. 2000. Important Bird Areas in Europe: Priority sites for conservation. 2. vol. BirdLife International (BirdLife Conservation Series No. 8) Cambridge UK. p 791.
43. Magyar, G., Hadarics, T., Waliczky, Z., Schmidt, A., Nagy, T., Bankovics, A. 1998. Magyarország Madarainak Névjegyzéke. KTM Madártani Intézet, MME, Winter Fair. Budapest-Szeged. p 202.
44. Gorman, G. 1996. The Birds of Hungary. Christopher Helm Ltd. London. p 192.
45. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Waiptails. Lynx Edicions, Barcelona, p 863.
- **Szép, T. 1991. Monitoring of the Population Size and Survival rate of the Sand Martin on the Upper Tisza. *Ornis Hungarica*, 1: 37-44.**
46. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Waiptails. Lynx Edicions, Barcelona, p 863.
- **Szép, T., Barta, Z. 1991. Táplálkozási szinkronitás vizsgálata partifecske (*Riparia riparia*) telepen. MME III. Tudományos Ülése. Szombathely, 1991, MME, pp 49-68.**
47. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Waiptails. Lynx Edicions, Barcelona, p 863.
- **Barta, Z., Szép, T. 1992. The role of information transfer under different food patterns: a simulation study. *Behavioural Ecology*, 3: 318-324.**
48. Safi, K., Kerth, G. 2007. Comparative analyses suggest that information transfer promoted sociality in male bats in the temperate zone. *AMERICAN NATURALIST*, 170: 465-472.
49. Myers, M.C., Vaughan, C. 2004. Movement and behavior of scarlet macaws (*Ara macao*) during the post-fledging dependence period: implications for in situ versus ex situ management. *Biological Conservation*, 118: 411-420.
50. Dhar, K.K., Woolas, R.R. 2003. Changes in the management of vulval cancer. *Best Practice & Research in Clinical Obstetrics & Gynaecology*, 17: 529-542.
51. Hoffman, M.S. 2003. Squamous-cell carcinoma of the vulva: locally advanced disease. *Best Practice & Research in Clinical Obstetrics & Gynaecology*, 17: 635-647.
52. Dall, S.R.X. 2002. Can information sharing explain recruitment to food from communal roosts? *Behavioral Ecology*, 13: 42-51.

53. Kerth, G., Wagner, M., König, B. 2001. Roosting together, foraging apart: information transfer about food is unlikely to explain sociality in female Bechstein's bats (*Myotis bechsteini*). *Behavioral Ecology and Sociobiology*, 50: 283-291.
54. Marchetti, C., Drent, P.J. 2000. Individual differences in the use of social information in foraging by captive great tits. *Animal Behaviour*, 60: 131-140.
55. Cavanagh, D. 1997. Vulvar cancer - Continuing evolution in management. *Gynecologic Oncology*, 66: 362-367.
56. Buckley, N.J. 1997. Spatial-concentration effects and the importance of local enhancement in the evolution of colonial breeding in seabirds. *American Naturalist*, 149: 1091-1112.
57. Murphy, K.E., Pitcher, T.J. 1997. Predator attack motivation influences the inspection behaviour of European minnows. *Journal of Fish Biology*, 50: 407-417.
58. Cavanagh, D., Hoffman, M.S. 1996. Controversies in the management of vulvar carcinoma. *British Journal of Obstetrics and Gynaecology*, 103: 293-300.
59. Richner, H., Heeb, P. 1995. Is the information-center hypothesis a flop. *Advances in the Study of Behavior*, 24: 1-45.
60. Ryer, C.H., Olla, B.L. 1995. Influences of food distribution on fish foraging behavior. *Animal Behaviour*, 49: 411-418.
61. Clode, D. 1993. Colonially breeding seabirds - predators or prey. *Trends in Ecology & Evolution*, 8: 336-338.

***Függő citáció:***

62. Barta, Z., Giraldeau, L.A. 2001. Breeding colonies as information centers: a reappraisal of information-based hypotheses using the producer-scrouter game. *Behavioral Ecology*, 12: 121-127.
- **Szép, T. 1992. Study of the spring migration by weather radar in East-Hungary. *Ornis Hungarica*, 2: 17-24.**
63. Liechti, F., Bruderer, B. 1995. Direction, speed, and composition of nocturnal bird migration in the South of Israel. *Israel Journal of Zoology*, 41: 501-515.
- **Szép, T., Barta, Z. 1992. The threat to Bank Swallow from the Hobby at a large colony. *The Condor*, 94: 1022-1025.**
64. Bijlsma, R.G., van den Brink, B. 2005. A Barn Swallow *Hirundo rustica* roost under attack: timing and risks in the presence of African Hobbies *Falco cuvieri*. *Ardea*, 93: 37-48.
65. Jackson, A.L., Brown, S., Sherratt, T.N., Ruxton, G.D. 2005. The effects of group size, shape and composition on ease of detection of cryptic prey. *Behaviour*, 142: 811-826.
66. Massoni, V., Reboreda, J.C. 2001. Number of close spatial and temporal neighbors decreases the probability of nest failure and Shiny Cowbird parasitism in colonial Yellow-winged Blackbirds. *Condor*, 103: 521-529.
67. Fritz, H., Guillemain, M., Guerin, S. 2000. Changes in the frequency of prospecting fly-overs by Marsh Harriers *Circus aeruginosus* in relation to short-term fluctuations in dabbling duck abundance. *Ardea*, 88: 9-16.
68. Emslie, S.D., Karnovsky, N., Trivelpiece, W. 1995. Avian predation at penguin colonies on King-George Island, Antarctica. *Wilson Bulletin*, 107: 317-327.
69. Brown, C.R., Brown, M.B. 1996. Coloniality in the Cliff Swallow, The effect of Group Size on Social Behaviour. The University of Chicago Press. Chicago,
70. Gorman, G. 1996. The Birds of Hungary. Christopher Helm Ltd. London, p 192.
71. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Wagtails. Lynx Edicions, Barcelona, p 863.

- **Szép, T. 1992. Nine years old Sand Martin (*Riparia riparia*) recovery in Eastern Hungary. *Aquila*, 99: 189.**
  - 72. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Wagtails. Lynx Edicions, Barcelona, p 863.
  
- **Szép, T. 1993. Changes of the Sand Martin (*Riparia riparia*) population in Eastern Hungary: the role of the adult survival and migration between colonies in 1986-1993. *Ornis Hungarica*, 3: 56-66.**
  - 73. Cowley, E., Siriwardena, G.M. 2005. Long-term variation in survival rates of Sand Martins *Riparia riparia*: dependence on breeding and wintering ground weather, age and sex, and their population consequences. *Bird Study*, 52: 237-251.
  - 74. Gatter, W. 2000. Vogelzug und Vogelbestände in Mitteleuropa. AULA-Verlag GmbH, Wiebelsheim. p 656.
  - 75. Gyurácz, J., Bank, L. 2000. Comparison of the autumn migration dynamics of five reed warblers in a south Hungarian reed bed. *Aquila*, 105-106: 135-142.
  - 76. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Wagtails. Lynx Edicions, Barcelona, p 863.
  
- **Szép T., Waliczky Z. 1993. Ritka és telepesen fészkelő madarak monitoring programja. MME, Budapest**
  - 77. Olah, J., Pigniczky, Cs., Nagy, T. 2003. A gólyatöcs (*Himantopus himantopus*) állományának alakulása Magyarországon és a 2000. évi fészkelési invázió. *Aquila*, 109-110: 61-79.
  
- **Szép, T., Barta, Z., Tóth, Z., Sóvári, Zs. 1995. Use of an electronic balance with bank swallow nests: a new field technique. *Journal of Field Ornithology*, 66: 1-11.**
  - 78. Nolan, P.M., Stoehr, A.M., Hill, G.E., McGraw, K.J. 2001. The number of provisioning visits by House Finches predicts the mass of food delivered. *Condor*, 103: 851-855.
  - 79. Rands, S.A., Cuthill, I.C. 2001. Separating the effects of predation risk and interrupted foraging upon mass changes in the blue tit *Parus caeruleus*. *Proceedings of the Royal Society of London Series B-Biological Sciences*, 268: 1783-1790.
  - 80. Cuthill, I.C., Maddocks, S.A., Weall, C.V., Jones, E.K.M. 2000. Body mass regulation in response to changes in feeding predictability and overnight energy expenditure. *Behavioral Ecology*, 11: 189-195.
  - 81. Krebs, E.A., Magrath, R.D. 2000. Food allocation in crimson rosella broods: parents differ in their responses to chick hunger. *Animal Behaviour*, 59: 739-751.
  - 82. Krebs, E.A., Cunningham, R.B., Donnelly, C.F. 1999. Complex patterns of food allocation in asynchronously hatching broods of crimson rosellas. *Animal Behaviour*, 57: 753-763.
  - 83. Woodburn, R.J.W., Perrins, C.M. 1997. Weight change and the body reserves of female blue tits, *Parus caeruleus*, during the breeding season. *Journal of Zoology*, 243: 789-802.
  - 84. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Wagtails. Lynx Edicions, Barcelona, p 863.
  
- Függő citáció:***
  - 85. Meszaros, A., Toth, Z., Pasztor, L. 2006. Body mass of female great tits (*Parus major*) at egg laying. *Journal of Ornithology*, 147: 414-418.
  
- **Szép, T. 1995. Relationship between West African Rainfall and the Survival of the Central**

86. Eraud, C., Boutin, J.M., Riviere, M., Brun, J., Barbraud, C., Lormee, H. 2009. Survival of Turtle Doves *Streptopelia turtur* in relation to western Africa environmental conditions. *IBIS*, 151: 186-190.
87. Prochazka, P., Hobson, K.A., Karcza, Z., Kralj, J. 2008. Birds of a feather winter together: migratory connectivity in the Reed Warbler *Acrocephalus scirpaceus*. *JOURNAL OF ORNITHOLOGY*, 149: 141-150.
88. Gordo, O., Sanz, J.J. 2008. The relative importance of conditions in wintering and passage areas on spring arrival dates: the case of long-distance Iberian migrants. *JOURNAL OF ORNITHOLOGY*, 149: 199-210.
89. Gordo, O. 2007. Why are bird migration dates shifting? A review of weather and climate effects on avian migratory phenology. *CLIMATE RESEARCH*, 35: 37-58.
90. Studds, C.E., Marra, P.P. 2007. Linking fluctuations in rainfall to nonbreeding season performance in a long-distance migratory bird, *Setophaga ruticilla*. *CLIMATE RESEARCH*, 35: 115-122.
91. Saino, N., Rubolini, D., Jonzen, N., Ergon, T., Montemaggiore, A., Stenseth, N.C., Spina, F. 2007. Temperature and rainfall anomalies in Africa predict timing of spring migration in trans-Saharan migratory birds. *CLIMATE RESEARCH*, 35: 123-134.
92. Stoate C. 2002. Use of Savanna landscapes by migratory warblers and sedentary farmers in Senegal. 11th Annual Conference of the International-Association-for-Landscape-Ecology, SEP 10-13, 2002 Univ E Anglia, Norwich, ENGLAND. *AVIAN LANDSCAPE ECOLOGY: PURE AND APPLIED ISSUES IN THE LARGE-SCALE ECOLOGY OF BIRDS*: 273-280
93. Wilson, J.M., Cresswell, W. 2006. How robust are Palearctic migrants to habitat loss and degradation in the Sahel? *Ibis*, 148: 789-800.
94. Sanderson, F.J., Donald, P.F., Pain, D.J., Burfield, I.J., van Bommel, F.P.J. 2006. Long-term population declines in Afro-Palearctic migrant birds. *Biological Conservation*, 131: 93-105.
95. Scholte, P. 2006. Waterbird recovery in Waza-Logone (Cameroon), resulting from increased rainfall, floodplain rehabilitation and colony protection. *Ardea*, 94: 109-125.
96. Payevsky, V.A. 2006. Mechanisms of population dynamics in trans-Saharan bird migrants: a review. *Zoologicheskyy Zhurnal*, 85: 368-381.
97. Cowley, E., Siriwardena, G.M. 2005. Long-term variation in survival rates of Sand Martins *Riparia riparia*: dependence on breeding and wintering ground weather, age and sex, and their population consequences. *Bird Study*, 52: 237-251.
98. Schaub, M., Kania, W., Koppen, U. 2005. Variation of primary production during winter induces synchrony in survival rates in migratory white storks *Ciconia ciconia*. *Journal of Animal Ecology*, 74: 656-666.
99. Zwarts, L., van Beukering, P., Kone, B., Wymenga, E. (eds.) 2005. The Niger, a lifeline. Effective water management in the Upper Niger Basin. RIZA, Lelystad / Wetlands International, Sévaré / Institute for Environmental studies (IVM), Amsterdam / A&W ecological consultants, Veenwouden. Mali / The Netherlands.
100. Pulido, F., Berthold, P. 2004. Microevolutionary response to climatic change. *Advances in Ecological Research*, 35: 151-183.
101. Saether, B.E., Sutherland, W.J., Engen, S. 2004. Climate influences on avian population dynamics. *Advances in Ecological Research*, 35: 185-209.
102. Kanuscak, P., Hromada, M., Tryjanowski, P., Sparks, T. 2004. Does climate at different scales influence the phenology and phenotype of the River Warbler *Locustella fluviatilis*? *Oecologia*, 141: 158-163.
103. Newton, I. 2004. Population limitation in migrants. *Ibis*, 146: 197-226.
104. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): *Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Wagtails*. Lynx Edicions, Barcelona, p 863.
105. Bairlein, F. 2003. The study of bird migrations - some future perspectives. *Bird Study*, 50: 243-253.
106. Acquarone, C., Cucco, M., Malacarne, G. 2003. Reproduction of the Crag Martin

- (*Ptyonoprogne rupestris*) in relation to weather and colony size. *Ornis Fennica*, 80: 79-85.
107. Forstmeier, W., Bourski, O.V., Leisler, B. 2001. Habitat choice in *Phylloscopus* warblers: the role of morphology, phylogeny and competition. *Oecologia*, 128: 566-576.
108. Scholte, P., de Kort, S., van Weerd, M. 2000. Floodplain rehabilitation in Far North Cameroon: expected impact on bird life. *Ostrich*, 71: 112-117.
109. Kaiser, A. 1999. Stopover strategies in birds: a review of methods for estimating stopover length. *Bird Study*, 46: 299-308.
110. Foppen, R., ter Braak, C.J.F., Verboom, J., Reijnen, R. 1999. Dutch sedge warblers *Acrocephalus schoenobaenus* and West-African rainfall: empirical data and simulation modelling show low population resilience in fragmented marshlands. *Ardea*, 87: 113-127.
111. Payevsky, V.A., Vysotsky, V.G., Yefremov, V.D., Markovets, M.Y., Morozov, Y.G., Shapoval, A.P. 1997. Sex-specific survival rates in birds. *Zhurnal Obshchei Biologii*, 58: 5-20.
112. Brown, C.R., Brown, M.B. 1996. Coloniality in the cliff swallow, the effect of group size on social behaviour.. The University of Chicago Press, Chicago, p 566.
113. Baillie, S.R. 1995. Uses of ringing data for the conservation and management of bird populations: A ringing scheme perspective. *Journal of Applied Statistics*, 22: 967-987.
114. Böhm, A. 1995. Változások az énekesmadarak állományában Magyarországon a pontszámlálási program eredményeinek tükrében (1988-1995). *Aquila*, 102: 109-131.
115. Heath, M.F., Evans, M.I. 2000. Important Bird Areas in Europe: Priority sites for conservation. 2. vol. BirdLife International (BirdLife Conservation Series No. 8) Cambridge UK. p 791.
- **Szép, T. 1995. Survival Rates of Hungarian Sand Martins and Their Relationship with Sahel Rainfall. *Journal of Applied Statistics*, 22: 891-904.**
116. Robinson, R.A., Baillie, S.R., Crick, H.Q.P. 2007. Weather-dependent survival: implications of climate change for passerine population processes. *Ibis*, 149: 357-364.
117. Laaksonen, T., Ahola, M., Eeva, T., Vaisanen, R.A., Lehikoinen, E. 2006. Climate change, migratory connectivity and changes in laying date and clutch size of the pied flycatcher. *Oikos*, 114: 277-290.
118. Cowley, E., Siriwardena, G.M. 2005. Long-term variation in survival rates of Sand Martins *Riparia riparia*: dependence on breeding and wintering ground weather, age and sex, and their population consequences. *Bird Study*, 52: 237-251.
119. Moffatt, K.C., Crone, E.E., Holl, K.D., Schlorff, R.W., Garrison, B.A. 2005. Importance of hydrologic and landscape heterogeneity for restoring bank swallow (*Riparia riparia*) colonies along the Sacramento River, California. *Restoration Ecology*, 13: 391-402.
120. Stokke, B.G., Moller, A.P., Saether, B.E., Rheinwald, G., Gutscher, H. 2005. Weather in the breeding area and during migration affects the demography of a small long-distance passerine migrant. *AUK*, 122: 637-647.
121. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): *Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Wagtails*. Lynx Edicions, Barcelona, p 863.
122. Lemoine, N., Bohning-Gaese, K. 2003. Potential impact of global climate change on species richness of long-distance migrants. *Conservation Biology*, 17: 577-586.
123. Kiss, B., Samu, F. 2000. Evaluation of population densities of the common wolf spider *Pardosa agrestis* (Araneae : Lycosidae) in Hungarian alfalfa fields using mark-recapture. *European Journal of Entomology*, 97: 191-195.
124. Green, R.E., Gibbons, D.W. 2000. The status of the Corncrake *Crex crex* in Britain in 1998. *Bird Study*, 47: 129-137.
125. Heath, M.F., Evans, M.I. 2000. Important Bird Areas in Europe: Priority sites for conservation. 2. vol. BirdLife International (BirdLife Conservation Series No. 8) Cambridge UK. p 791.
126. Green, R.E. 1999. Survival and dispersal of male Corncrakes *Crex crex* in a threatened population. *Bird Study*, 46: 218-229.
127. Foppen, R., ter Braak, C.J.F., Verboom, J., Reijnen, R. 1999. Dutch sedge warblers *Acrocephalus schoenobaenus* and West-African rainfall: empirical data and simulation

modelling show low population

resilience in fragmented marshlands.

*Ardea*, 87: 113-127.

128. Peach, W.J., Crick, H.Q.P., Marchant, J.H. 1995. The demography of the decline in the British willow warbler population. *Journal of Applied Statistics*, 22: 905-922.

▪ **Barta, Z., Szép, T. 1995. Frequency-dependent selection on information transfer strategies at breeding colonies: A simulation study. *Behavioural Ecology*, 6: 308-310.**

129. Borg, A.A., Rosenqvist, G., Amundsen, T., Forsgren, E. 2006. Presence of same sex individuals negatively affects egg maturation in female guppies (*Poecilia reticulata*). *Behaviour*, 143: 747-761.

130. Lusseau, D., Schneider, K., Boisseau, O.J., Haase, P., Slooten, E., Dawson, S.M. 2003. The bottlenose dolphin community of Doubtful Sound features a large proportion of long-lasting associations - Can geographic isolation explain this unique trait? *Behavioral Ecology and Sociobiology*, 54: 396-405.

131. Marchetti, C., Drent, P.J. 2000. Individual differences in the use of social information in foraging by captive great tits. *Animal Behaviour*, 60: 131-140.

132. Beauchamp, G. 1999. The evolution of communal roosting in birds: origin and secondary losses. *Behavioral Ecology*, 10: 675-687.

133. Beauchamp, G. 1999. A comparative study of breeding traits in colonial birds. *Evolutionary Ecology Research*, 1: 251-260.

134. Spilling, E., Bergmann, H.H., Meier, R. 1999. Flock sizes in foraging White-fronted and Bean Geese in the Elbe valley and their effects on flight distance and time budget. *Journal Fur Ornithologie*, 140: 325-334.

135. Prevot-Julliard, A.C., Lebreton, J.D. 1999. Spatial organization of foraging within a Black-Headed Gull *Larus ridibundus* colony. *Ibis*, 141: 144-149.

136. Danchin, E., Wagner, R.H. 1997. The evolution of coloniality: the emergence of new perspectives. *Trends in Ecology & Evolution*, 12: 342-347.

***Függő citáció:***

137. Barta, Z., Giraldeau, L.A. 2001. Breeding colonies as information centers: a reappraisal of information-based hypotheses using the producer-scrounger game. *Behavioral Ecology*, 12: 121-127.

▪ **Szép, T. 1997. Natural values and condition for the sustainable development along the Upper Tisza. In: *Proceedings of the 2nd International Regional Conference on Environmental and Economical Development, Nyíregyháza, 1997: pp. 37-41.***

138. Muller, Z., Jakab, T., Toth, A., Devai, G., Szalassy, N., Kiss, B., Horvath, R. 2003. Effect of sports fisherman activities on dragonfly assemblages on a Hungarian river floodplain. *Biodiversity and Conservation*, 12: 167-179.

▪ **Báldi, A., Moskát, Cs., Szép, T. 1997. Nemzeti Biodiverzitás-monitorozó Rendszer. IX. Madarak. Magyar Természettudományi Múzeum, p 82.**

139. Csörgő, T., Karcza, Z., Palkó, S. 1998. Környezeti változások monitorozása énekesmadarakkal. *Ornis Hungarica*, 8: 17-26.

140. Barta, Z., Liker, A. 1999. Viselkedésbiológiai kutatások természetvédelmi alkalmazásának lehetőségei. *Természetvédelmi Közlemények*, 8: 89-109.

141. Standovár, T., Primack, R.B. 2001. A természetvédelmi biológia alapjai. Nemzeti Tankönyvkiadó, Budapest.

142. Horváth, F., Borhidi, A. 2002. A hazai erdőrezervátum-kutatás. *TermészetBúvár Alapítvány Kiadó*, Budapest.

143. Horváth, Z. 2002. A békászó sas (*Aquila pomarina*) Somogy megyei előfordulásairól. *Aquila*,

107-108: 107-108.

144. Boldogh, S., Szentgyörgyi, P. 2003. A haris (*Crex crex* L. 1758) állományának vizsgálata az Aggteleki Nemzeti Park Igazgatóság illetékességi területén 1997-2002 között. ANP Füzetek, 2: 77-96.
145. Gyurác, J., Nagy, K., Bagdi, A., Hadarics, T., Ragats, Zs. 2004. A gyurgyalag (*Merops apiaster*) monitorozása és védelmi helyzete Magyarországon, 1997-2001. Természetvédelmi Közlemények, 11: 481-489.
146. Fodor, I. 2003. Adatok a hargitai Ivó völgy madárvilágához (Románia). *Folia Hist. Nat. Mus. Matraensis*, 27: 359-364.
- **Horváth, R., Szép, T. 1998. A magyarországi vízirigók állománycsökkenése. Magyar Madártani és Természetvédelmi Egyesület IV. Tudományos Ülése kiadványa, Nyíregyháza. *Ornis Hungarica*, 8 Suppl.: 9-16.**

***Függő citáció:***

147. Horváth, R. 2002. A vízirigó (*Cinclus cinclus*) táplálék-összetételének vizsgálata Észak-Magyarországon köpetelemzéssel. *Aquila*, 107-108: 37-45.
148. Horváth, R., Boldogh, S., Varga, Zs. 1999. Az Aggteleki-Karsztvidék Madárvilága. Karszt Természetvédelmi Egyesület. Szögliget. p 128.
- **Szép, T. 1999. Monitoring of the sand martin (*Riparia riparia*), chances of forecasting a severe population decline. *Vogelwelt*, 120: 349-353.**
149. BirdLife International 2004. Birds in Europe: population estimates, trends and conservation status. Cambridge (BirdLife Conservation Series No.12) p 374.
150. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Waiptails. Lynx Edicions, Barcelona, p 863.
- **Szép, T., Møller, A. P. 1999. Parent-offspring conflict, cost of parasitism and host immune defence. *Oecologia*, 119: 9-15.**
151. Heneberg, P., 2009. Soil penetrability as a key factor affecting the nesting of burrowing birds. *ECOLOGICAL RESEARCH*, 24: 453-459.
152. Ruiz-Rodriguez, M., Soler, J.J., Lucas, F.S., Heeb, P., Palacios, M., Martin-Galvez, D., de Neve, L., Perez-Contreras, T., Martinez, J.G., Soler, M. 2009. Bacterial diversity at the cloaca relates to an immune response in magpie *Pica pica* and to body condition of great spotted cuckoo *Clamator glandarius* nestlings. *JOURNAL OF AVIAN BIOLOGY*, 40: 42-48.
153. Tschirren, B., Siitari, H., Saladin, V., Richner, H. 2009. Transgenerational immunity in a bird-ectoparasite system: do maternally transferred antibodies affect parasite fecundity or the offspring's susceptibility to fleas? *IBIS*, 151: 160-170.
154. Gallizzi, K., Bischoff, L.L., Gern, L., Richner, H. 2008. AN EXPERIMENTAL STUDY ON THE INFLUENCE OF TICK INFESTATIONS ON NESTLING PERFORMANCE IN GREAT TITS (*PARUS MAJOR*). *AUK*, 125: 915-922.
155. Heylen, D.J.A., Matthysen, E. 2008. Effect of tick parasitism on the health status of a passerine bird. *FUNCTIONAL ECOLOGY*, 22: 1099-1107.
156. Fenner, A.L., Bull, C.M. 2008. The impact of nematode parasites on the behaviour of an Australian lizard, the gidgee skink *Egernia stokesii*. *ECOLOGICAL RESEARCH*, 23: 897-903.
157. Edler, R., Friedl, T.W.P. 2008. Within-pair young are more immunocompetent than extrapair young in mixed-paternity broods of the red bishop. *ANIMAL BEHAVIOUR*, 75: 391-401.
158. O'Brien, E.L., Dawson, R.D. 2008. Parasite-mediated growth patterns and nutritional constraints in a cavity-nesting bird. *JOURNAL OF ANIMAL ECOLOGY*, 77: 127-134.

159. Brzek, P., Konarzewski, M. 2007. Relationship between avian growth rate and immune response depends on food availability. *JOURNAL OF EXPERIMENTAL BIOLOGY*, 210: 2361-2367.
160. Tomas, G., Merino, S., Moreno, J., Morales, J., Martinez-de la Puente, J. 2007. Impact of blood parasites on immunoglobulin level and parental effort: a medication field experiment on a wild passerine. *Functional Ecology*, 21: 125-133.
161. Barbosa, A., Merino, S., Benzal, J., Martinez, J., Garcia-Fraile, S. 2007. Geographic variation in the immunoglobulin levels in pygoscelid penguins. *Polar Biology*, 30: 219-225.
162. Badyaev, A.V., Hamstra, T.L., Oh, K.P., Seaman, D.A.A. 2006. Sex-biased maternal effects reduce ectoparasite-induced mortality in a passerine bird. *Proceedings of the National Academy of Sciences of the United States of America*, 103: 14406-14411.
163. Apanius, V., Nisbet, I.C.T. 2006. Serum immunoglobulin G levels are positively related to reproductive performance in a long-lived seabird, the common tern (*Sterna hirundo*). *Oecologia*, 147: 12-23.
164. Spencer, K.A. 2005. The effects of body state on nest sanitation and provisioning effort in breeding barn swallows (*Hirundo rustica*). *Canadian Journal of Zoology-Revue Canadienne de Zoologie*, 83: 1360-1364.
165. Simkova, A., Ottova, E., Morand, S. 2006. MHC variability, life-traits and parasite diversity of European cyprinid fish. *Evolutionary Ecology*, 20: 465-477.
166. Tschirren, B., Richner, H. 2006. Parasites shape the optimal investment in immunity. *Proceedings of the Royal Society B-Biological Sciences*, 273: 1773-1777.
167. Bourgeon, S., Martinez, J., Criscuolo, F., Le Maho, Y., Raclot, T. 2006. Fasting-induced changes of immunological and stress indicators in breeding female eiders. *General and Comparative Endocrinology*, 147: 336-342.
168. Kleindorfer, S., Lambert, S., Paton, D.C. 2006. Ticks (*Ixodes* sp.) and blood parasites (*Haemoproteus* spp.) in New Holland Honeyeaters (*Phylidonyris novaehollandiae*): Evidence for site specificity and fitness costs. *EMU*, 106: 113-118.
169. Salvante, K.G. 2006. Techniques for studying integrated immune function in birds. *AUK*, 123: 575-586.
170. Chin, E.H., Love, O.P., Clark, A.M., Williams, T.D. 2005. Brood size and environmental conditions sex-specifically affect nestling immune response in the European starling *Sturnus vulgaris*. *Journal of Avian Biology*, 36: 549-554.
171. Snoeijs, T., Pinxten, R., Eens, M. 2005. Experimental removal of the male parent negatively affects growth and immunocompetence in nestling great tits. *Oecologia*, 145: 165-173.
172. Moffatt, K.C., Crone, E.E., Holl, K.D., Schlorff, R.W., Garrison, B.A. 2005. Importance of hydrologic and landscape heterogeneity for restoring bank swallow (*Riparia riparia*) colonies along the Sacramento River, California. *Restoration Ecology*, 13: 391-402.
173. Rózsa, L. 2005. Élősködés, az állati és emberi fejlődés motorja. Budapest, Medicina Könyvkiadó Rt, p 318.
174. Morales, J., Moreno, J., Merino, S., Tomas, G., Martinez, J., Garamszegi, L.Z. 2004. Associations between immune parameters, parasitism, and stress in breeding pied flycatcher (*Ficedula hypoleuca*) females. *Canadian Journal of Zoology-Revue Canadienne de Zoologie*, 82: 1484-1492.
175. Valera, F., Hoi, H., Darolova, A., Kristofik, J. 2004. Size versus health as a cue for host choice: a test of the tasty chick hypothesis. *Parasitology*, 129: 59-68.
176. Brommer, J.E. 2004. Immunocompetence and its costs during development: an experimental study in blue tit nestlings. *Proceedings Of The Royal Society Of London Series B-Biological Sciences*, 271: S110-S113. Suppl.
177. Acquarone, C., Cucco, M., Malacarne, G. 2003. Reproduction of the Crag Martin (*Ptyonoprogne rupestris*) in relation to weather and colony size. *Ornis Fennica*, 80: 79-85.
178. Martinez, J., Tomas, G., Merino, S., Arriero, E., Moreno, J. 2003. Detection of serum immunoglobulins in wild birds by direct ELISA: a methodological study to validate the technique in different species using antichick antibodies. *Functional Ecology*, 17: 700-706.
179. Bize, P., Roulin, A., Bersier, L.F., Pfluger, D., Richner, H. 2003. Parasitism and developmental



plasticity in Alpine swift nestlings.

Journal of Animal Ecology, 72: 633-639.

180. Nilsson, J.A. 2003. Ectoparasitism in marsh tits: costs and functional explanations. *Behavioral Ecology*, 14: 175-181.
181. Soler, J.J., de Neve, L., Perez-Contreras, T., Soler, M., Sorci, G. 2003. Trade-off between immunocompetence and growth in magpies: an experimental study. *Proceedings of the Royal Society of London Series B-Biological Sciences*, 270: 241-248.
182. Bouslama, Z., Lambrechts, M.M., Ziane, N., Djenidi, R.D., Chabi, Y. 2002. The effect of nest ectoparasites on parental provisioning in a north-African population of the Blue Tit *Parus caeruleus*. *Ibis*, 144: E73-E78.
183. Hakkarainen, H., Korpimäki, E., Koivunen, V., Ydenberg, R. 2002. Survival of male Tengmalm's owls under temporally varying food conditions. *Oecologia*, 131: 83-88.
184. Bouslama, Z., Chabi, Y., Lambrechts, M.M. 2001. Chicks resist high parasite intensities in an Algerian population of blue tits. *Ecoscience*, 8: 320-324.
185. Proctor, H., Owens, I. 2000. Mites and birds: diversity, parasitism and coevolution. *Trends in Ecology & Evolution*, 15: 358-364.
186. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): *Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Wagtails*. Lynx Edicions, Barcelona, p 863.

***Függő citáció:***

187. Moller, A.P. 2005. Parasites, predators and the duration of developmental periods. *Oikos*, 111: 291-301.
  188. Moller, A.P., Erritzoe, J. 2002. Coevolution of host immune defence and parasite-induced mortality: relative spleen size and mortality in altricial birds. *Oikos*, 99: 95-100.
  189. Saino, N., Ferrari, R.P., Romano, M., Ambrosini, R., Moller, A.P. 2002. Ectoparasites and reproductive trade-offs in the barn swallow (*Hirundo rustica*). *Oecologia*, 133: 139-145.
  190. Christe, P., Moller, A.P., Gonzalez, G., de Lope, F. 2002. Intraspecific variation in immune defence, body mass and hematocrit in adult house martins *Delichon urbica*. *Journal of Avian Biology*, 33: 321-325.
  191. Saino, N., Incagli, M., Martinelli, R., Ambrosini, R., Moller, A.P. 2001. Immunity, growth and begging behaviour of nestling Barn Swallows *Hirundo rustica* in relation to hatching order. *Journal of Avian Biology*, 32: 263-270.
  192. Merino, S., Martinez, J., Moller, A.P., Barbosa, A., de Lope, F., Rodriguez-Cabeiro, F. 2001. Physiological and haematological consequences of a novel parasite on the red-rumped swallow *Hirundo daurica*. *International Journal for Parasitology*, 31: 1187-1193.
  193. Martin, T.E., Moller, A.P., Merino, S., Clobert, J. 2001. Does clutch size evolve in response to parasites and immunocompetence? *Proceedings of the National Academy of Sciences of the United States of America*, 98: 2071-2076.
- Szép, T. 1999. Effects of age- and sex-biased dispersal on the estimation of survival rates of the Sand Martin (*Riparia riparia*) population in Hungary. *Bird Study*, 46: S169-177.
194. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): *Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Wagtails*. Lynx Edicions, Barcelona, p 863.
- Szép, T., Møller, A.P. 2000. Exposure to ectoparasites increases within-brood variability in size and body mass in the sand martin. *Oecologia*, 125: 201-207.
195. Gallizzi, K., Bischoff, L.L., Gern, L., Richner, H. 2008. AN EXPERIMENTAL STUDY ON THE INFLUENCE OF TICK INFESTATIONS ON NESTLING PERFORMANCE IN GREAT TITS (*PARUS MAJOR*). *AUK*, 125: 915-922.
  196. Gallizzi, K., Alloiteau, O., Harrang, E., Richner, H. 2008. Fleas, parental care, and

- transgenerational effects on tick load in the great tit. *BEHAVIORAL ECOLOGY*, 19: 1225-1234.
197. Heylen, D.J.A., Matthysen, E. 2008. Effect of tick parasitism on the health status of a passerine bird. *FUNCTIONAL ECOLOGY*, 22: 1099-1107.
198. O'Brien, E.L., Dawson, R.D. 2008. Parasite-mediated growth patterns and nutritional constraints in a cavity-nesting bird. *JOURNAL OF ANIMAL ECOLOGY*, 77: 127-134.
199. Thomas, D.W., Shipley, B., Blondel, J., Perret, P., Simon, A., Lambrechts, M.M. 2007. Common paths link food abundance and ectoparasite loads to physiological performance and recruitment in nestling blue tits. *FUNCTIONAL ECOLOGY*, 21: 947-955.
200. Brzek, P., Konarzewski, M. 2007. Relationship between avian growth rate and immune response depends on food availability. *JOURNAL OF EXPERIMENTAL BIOLOGY*, 210: 2361-2367.
201. Morris, S.R., Ertel, M.C., Wright, M.P. 2007. The incidence and effects of ticks on migrating birds at a stopover site in Maine. *Northeastern Naturalist*, 14: 171-182.
202. Hannam, K. 2006. Ectoparasitic blow flies (*Protocalliphora* sp.) and nestling Eastern Bluebirds (*Sialia sialis*): direct effects and compensatory strategies. *Canadian Journal of Zoology-Revue Canadienne de Zoologie*, 84: 921-930.
203. Valera, F., Hoi, H., Kristin, A. 2006. Parasite pressure and its effects on blood parameters in a stable and dense population of the endangered lesser grey shrike. *Biodiversity and Conservation*, 15: 2187-2195.
204. Simon, A., Thomas, D.W., Speakman, J.R., Blondel, J., Perrin, P., Lambrechts, M.M. 2005. Impact of ectoparasitic blowfly larvae (*Protocalliphora* spp.) on the behavior and energetics of nestling Blue Tits. *Journal of Field Ornithology*, 76: 402-410.
205. Berggren, A. 2005. Effect of the blood-sucking mite *Ornithonyssus bursa* on chick growth and fledging age in the North Island robin. *New Zealand Journal of Ecology*, 29: 243-250.
206. Rózsa, L. 2005. Élősködés, az állati és emberi fejlődés motorja. Budapest, Medicina Könyvkiadó Rt, p 318.
207. Simon, A., Thomas, D., Blondel, J., Perret, P., Lambrechts, M.M. 2004. Physiological ecology of Mediterranean blue tits (*Parus caeruleus* L.): Effects of ectoparasites (*Protocalliphora* spp.) and food abundance on metabolic capacity of nestlings. *Physiological and Biochemical Zoology*, 77: 492-501.
208. Valera, F., Hoi, H., Darolova, A., Kristofik, J. 2004. Size versus health as a cue for host choice: a test of the tasty chick hypothesis. *Parasitology*, 129: 59-68.
209. Prokop, P. 2004. The effect of nest usurpation on breeding success of the black-billed magpie *Pica pica*. *Biologia*, 59: 213-217.
210. Simon, A., Thomas, D.W., Blondel, J., Lambrechts, M.M., Perret, P. 2003. Within-brood distribution of ectoparasite attacks on nestling blue tits: a test of the tasty chick hypothesis using inulin as a tracer. *Oikos*, 102: 551-558.
211. Stamp, R.K., Brunton, D.H., Walter, B. 2002. Artificial nest box use by the North Island saddleback: effects of nest box design and mite infestations on nest site selection and reproductive success. *New Zealand Journal of Zoology*, 29: 285-292.
212. Turner, A. 2004. Sand Martin. In: Del Hoyo, J., Elliott, A., Christie, D. (eds.): *Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Waiptails*. Lynx Edicions, Barcelona, p 863.

***Függő citáció:***

213. Ninni, P., de Lope, F., Saino, N., Haussy, C., Moller, A.P. 2004. Antioxidants and condition-dependence of arrival date in a migratory passerine. *Oikos*, 105: 55-64.
- Szép, T., Gibbons, D. 2000. Monitoring of common breeding birds in Hungary using a randomised sampling design. *The Ring*, 22: 45-55.
214. Stanevičius, V. 2003. Monitoring of breeding water birds in Lithuania: organisation and sampling designs. *Ornis Hungarica*, 12-13: 89-94.

- **Kenyeres, A., Wetstein, W., Szép, T. 2000. Haris egyedek felismerése hangelemzés alapján. *Ornis Hungarica*, 10: 65-70.**
  
- 215. Osiejuk, T.S., Olech, B., Ratynska, K., Owsinski, A. and Gromadzka-Ostrowska, J. G. 2004. Effects of season, plasma testosterone and body size on corncrake (*Crex crex*) call rhythm. *Annales Zoologici Fennici*, 41: 647-659.
  
- **Møller, A. P., Szép, T. 2002. Survival rate of adult barn swallows *Hirundo rustica* in relation to sexual selection and reproduction. *Ecology*, 83: 2220–2228.**
  
- 216. Holmes, D., Martin, K. 2009. A BIRD'S-EYE VIEW OF AGING: WHAT'S IN IT FOR ORNITHOLOGISTS? *AUK*, 126: 1-23.
- 217. Gruebler, M.U., Naef-Daenzer, B. 2008. Postfledging parental effort in barn swallows: evidence for a trade-off in the allocation of time between broods. *ANIMAL BEHAVIOUR*, 75: 1877-1884.
- 218. Jensen, H., Steinsland, I., Ringsby, T.H., Saether, B.E. 2008. Evolutionary dynamics of a sexual ornament in the house sparrow (*passer domesticus*): The role of indirect selection within and between sexes. *EVOLUTION*, 62: 1275-1293.
- 219. Galvan, I., Sanz, J.J. 2008. The cheek plumage patch is an amplifier of dominance in great tits. *BIOLOGY LETTERS*, 4: 12-15.
- 220. Custer, C.M., Custer, T.W., Hines, J.E., Nichols, J.D., Dummer, P.A. 2007. Adult tree swallow (*Tachycineta bicolor*) survival on the polychlorinated biphenyl-contaminated Housatonic River, Massachusetts, USA. *Environmental Toxicology and Chemistry*, 26: 1056-1065.
- 221. Anders, A.D., Marshall, M.R. 2005. Increasing the accuracy of productivity and survival estimates in assessing landbird population status. *Conservation Biology*, 19: 66-74.
- 222. Pulido, F., Berthold, P. 2004. Microevolutionary response to climatic change. *Advances in Ecological Research*, 35: 151-183.
- 223. Fietz, J., Schlund, W., Dausmann, K.H., Regelmann, M., Heldmaier, G. 2004. Energetic constraints on sexual activity in the male edible dormouse (*Glis glis*). *Oecologia*, 138: 202-209.
- 224. Kokko, H., Brooks, R. 2003. Sexy to die for? Sexual selection and the risk of extinction. *Annales Zoologici Fennici*, 40: 207-219.

***Függő citáció:***

- 225. Moller, A.P., Mousseau, T.A., Rudolfsen, G., Balbontin, J., Marzal, A., Hermosell, I., De Lope, F. 2009. Senescent sperm performance in old male birds. *JOURNAL OF EVOLUTIONARY BIOLOGY*, 22: 334-344.
- 226. Moller, A.P. 2008. Climate change and micro-geographic variation in laying date. *OECOLOGIA*, 155: 845-857.
- 227. Moller, A. P., Mousseau, T.A., Lynn, C., Ostermiller, S., Rudolfsen, G. 2008. Impaired swimming behaviour and morphology of sperm from barn swallows *Hirundo rustica* in Chernobyl. *MUTATION RESEARCH-GENETIC TOXICOLOGY AND ENVIRONMENTAL MUTAGENESIS*, 650: 210-216.
- 228. Moller, A.P. 2007. Tardy females, impatient males: protandry and divergent selection on arrival date in the two sexes of the barn swallow. *Behavioral Ecology and Sociobiology*, 61: 1311-1319.
- 229. Moller, A.P., Haussy, C. 2007. Fitness consequences of variation in natural antibodies and complement in the Barn Swallow *Hirundo rustica*. *Functional Ecology*, 21: 363-371.
- 230. Moller, A.P. 2007. Interval between clutches, fitness, and climate change. *Behavioral Ecology*, 18: 62-70.
- 231. Moller, A.P., de Lope, F., Saino, N. 2005. Reproduction and migration in relation to senescence in the barn swallow *Hirundo rustica*: A study of avian 'centenarians'. *AGE*, 27: 307-318.
- 232. Garamszegi, L.Z., Hegyi, G., Heylen, D., Ninni, P., de Lope, F., Eens, M., Moller, A.P. 2006.

- The design of complex sexual traits in male barn swallows: associations between signal attributes. *Journal of Evolutionary Biology*, 19: 2052-2066.
233. Moller, A.P. 2006. Rapid change in nest size of a bird related to change in a secondary sexual character. *Behavioral Ecology*, 17: 108-116.
234. Moller, A.P., Chabi, Y., Cuervo, J.J., Lope, F., Kilpimaa, J., Kose, M., Matyjasiak, P., Pap, P.L., Saino, N., Sakraoui, R., Schifferli, L., Hirschheydt, J. 2006. An analysis of continent-wide patterns of sexual selection in a Passerine bird. *Evolution*, 60: 856-868.
235. Stokke, B.G., Moller, A.P., Saether, B.E., Rheinwald, G., Gutscher, H. 2005. Weather in the breeding area and during migration affects the demography of a small long-distance passerine migrant. *AUK*, 122: 637-647.
236. Moller, A.P., Surai, P., Mousseau, T. A. 2005. Antioxidants, radiation and mutation as revealed by sperm abnormality in barn swallows from Chernobyl. *Proceedings of the Royal Society B-Biological Sciences*, 272: 247-252.
237. Moller, A.P. 2004. Protandry, sexual selection and climate change. *Global Change Biology*, 10: 2028-2035.
238. Moller, A.P., Hobson, K.A. 2004. Heterogeneity in stable isotope profiles predicts coexistence of populations of barn swallows *Hirundo rustica* differing in morphology and reproductive performance. *Proceedings of the Royal Society of London Series B-Biological Sciences*, 271: 1355-1362.
239. Moller, A.P. 2004. Rapid temporal change in frequency of infanticide in a passerine bird associated with change in population density and body condition. *Behavioral Ecology*, 15: 462-468.
240. Moller, A.P., Saino, N. 2004. Immune response and survival. *Oikos*, 104: 299-304.
241. Moller, A.P., De Lope, F., Saino, N. 2004. Parasitism, immunity, and arrival date in a migratory bird, the barn swallow. *Ecology*, 85: 206-219.
242. Saino, N., Ferrari, R.P., Romano, M., Rubolini, D., Moller, A.P. 2003. Humoral immune response in relation to senescence, sex and sexual ornamentation in the barn swallow (*Hirundo rustica*). *Journal of Evolutionary Biology*, 16: 1127-1134.
243. Moller, A.P., Mousseau, T.A. 2003. Mutation and sexual selection: A test using barn swallows from Chernobyl. *Evolution*, 57: 2139-2146.
244. Moller, A.P. 2003. Sexual selection and extinction: why sex matters and why asexual models are insufficient. *Annales Zoologici Fennici*, 40: 221-230.
- Szép, T., Nagy, K. 2002. **Mindennapi Madaraink Monitoringja (MMM) 1999-2000. Magyar Madártani és Természetvédelmi Egyesület, Budapest**
245. Field, R.H., Benke, S., Badonyi, K., Bradbury, R.B. 2007. Influence of conservation tillage on winter bird use of arable fields in Hungary. *Agriculture Ecosystems & Environment*, 120: 399-404.
246. Baldi, A., Batary, P., Erdos, S. 2005. Effects of grazing intensity on bird assemblages and populations of Hungarian grasslands. *Agriculture Ecosystems & Environment*, 108: 251-263.
247. Verhulst, J., Baldi, A., Kleijn, D. 2004. Relationship between land-use intensity and species richness and abundance of birds in Hungary. *Agriculture Ecosystems & Environment*, 104: 465-473.
248. BirdLife International 2004. *Birds in Europe: population estimates, trends and conservation status*. Cambridge (BirdLife Conservation Series No.12) p 374.
- Szép, T., Møller, A.P., Vallner, J., Kovács, B., Norman, D. 2003. **Use of trace elements in feathers of sand martin *Riparia riparia* for identifying moulting areas. – *J. Avian Biol.*, 34: 307-320.**
249. McCallum, H.I., Roshier, D.A., Tracey, J.P., Joseph, L., Heinsohn, R. 2008. Will Wallace's Line Save Australia from Avian Influenza? *ECOLOGY AND SOCIETY*, 13: 41.
250. Poesel, A., Nelson, D.A., Gibbs, H.L., Olesik, J.W. 2008. Use of trace element analysis of

- feathers as a tool to track fine-scale dispersal in birds. *BEHAVIORAL ECOLOGY AND SOCIOBIOLOGY*, 63: 153-158.
251. Hobson, K.A. 2008. Using endogenous and exogenous markers in bird conservation. *BIRD CONSERVATION INTERNATIONAL*, 18: S174-S199.
252. Inger, R., Bearhop, S. 2007. Applications of stable isotope analyses to avian ecology. *IBIS*, 150: 447-461.
253. Kelly, J.F., Johnson, M.J., Langridge, S., Whitfield, M. 2007. Efficacy of stable isotope ratios in assigning endangered migrants to breeding and wintering sites. *ECOLOGICAL APPLICATIONS*, 18: 568-576.
254. Prochazka, P., Hobson, K.A., Karcza, Z., Kralj, J. 2008. Birds of a feather winter together: migratory connectivity in the Reed Warbler *Acrocephalus scirpaceus*. *JOURNAL OF ORNITHOLOGY*, 149: 141-150.
255. Gomez-Diaz, E., Gonzalez-Solis, J. 2007. Geographic assignment of seabirds to their origin: Combining morphologic, genetic, and biogeochemical analyses. *ECOLOGICAL APPLICATIONS*, 17: 1484-1498.
256. Norris, D.R., Lank, D.B., Pither, J., Chipley, D., Ydenberg, R.C., Kyser, T.K. 2007. Trace element profiles as unique identifiers of western sandpiper (*Calidris mauri*) populations. *Canadian Journal of Zoology-Revue Canadienne de Zoologie*, 85: 579-583.
257. Font, L., Nowell, G.M., Pearson, D.G., Ottley, C.J., Willis, S.G. 2007. Sr isotope analysis of bird feathers by TIMS: a tool to trace bird migration paths and breeding sites. *Journal of Analytical Atomic Spectrometry*, 22: 513-522.
258. Sanpera, C., Ruiz, X., Moreno, R., Jover, L., Waldron, S. 2007. Mercury and stable isotopes in feathers of Audouin's Gulls as indicators of feeding habits and migratory connectivity. *Condor*, 109: 268-275.
259. Bensch, S., Bengtsson, G., Akesson, S. 2006. Patterns of stable isotope signatures in willow warbler *Phylloscopus trochilus* feathers collected in Africa. *Journal of Avian Biology*, 37: 323-330.
260. Donovan, T., Buzas, J., Jones, P., Gibbs, H.L. 2006. Tracking dispersal in birds: Assessing the potential of elemental markers. *AUK*, 123: 500-511.
261. Hobson, K.A. 2005. Using stable isotopes to trace long-distance dispersal in birds and other taxa. *Diversity and Distributions*, 11: 157-164.
262. Hobson, K.A., Wassenaar, L.I., Bayne, E. 2005. Using isotopic variance to detect long-distance dispersal and philopatry in birds: An example with Ovenbirds and American Redstarts. *Condor*, 106: 732-743.
263. Robinson, R.A., Clark, N.A., Lanctot, R., Nebel, S., Harrington, B., Clark, J.A., Gill, J.A., Melfoite, H., Rogers, D.I., Rogers, K.G., Ens, B.J., Reynolds, C.M., Ward, R.M., Piersma, T., Atkinson, P.W. 2005. *Wader Study Group Bulletin*, 106: 17-29.
264. Hobson, K.A., Bowen, G.J., Wassenaar, L.I., Ferrand, Y., Lormee, H. 2004. Using stable hydrogen and oxygen isotope measurements of feathers to infer geographical origins of migrating European birds. *Oecologia*, 141: 477-488.
265. Rubenstein, D.R., Hobson, K.A. 2004. From birds to butterflies: animal movement patterns and stable isotopes. *Trends in Ecology & Evolution*, 19: 256-263.
- Szállassy, N., Bárdosi, E., Szabó D.Z., Szép, T., Dévai, Gy. 2003. **Fluctuating asymmetry, survival and mating success in male *Libellula fulva* (Anisoptera: Libellulidae).** *Odonatologica*, 32: 143-151.
266. Carchini, G.M., Di Domenico, M., Chiarotti, F., Tanzilli, C., Pacione, T. 2005. Fluctuating asymmetry, body size, reproductive period and life time mating success of males of *Cercion lindenii* (Odonata : Coenagrionidae). *European Journal of Entomology*, 102: 707-712.
267. Shine, R., Langkilde, T., Wall, M., Mason, R.T. 2005. The fitness correlates of scalation asymmetry in garter snakes *Thamnophis sirtalis parietalis*. *Functional Ecology*, 19: 306-314.
- Szép, T., Szabó, D.Z., Vallner, J. 2003. **Integrated population monitoring of sand martin *Riparia***

268. Turner, A. 2004. Sand Martin. (in) Del Hoyo J, Elliott A, Christie D (eds): Handbook of the Birds of the World. Vol 9. Cotingas to Pipits and Waihtails. Lynx Edicions, Barcelona p 863.
- Saino, N., Szép, T., Romano, M., Rubolini, D., Spina, F., Møller, A.P. 2004. Ecological conditions during winter predict arrival date at the breeding quarters in a trans-Saharan migratory bird. *Ecology Letters*, 7: 21-25.
269. Van Buskirk, J., Mulvihill, R.S., Leberman, R.C. 2009. Variable shifts in spring and autumn migration phenology in North American songbirds associated with climate change. *GLOBAL CHANGE BIOLOGY*, 15: 760-771.
270. Becker, P.H., Dittmann, T., Ludwigs, J.D., Limmer, B., Ludwig, S.C., Bauch, C., Braasch, A., Wendeln, H. 2008. Timing of initial arrival at the breeding site predicts age at first reproduction in a long-lived migratory bird. *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA*, 105: 12349-12352.
271. Bauer, S., Gienapp, P., Madsen, J. 2008. The relevance of environmental conditions for departure decision changes en route in migrating geese. *ECOLOGY*, 89: 1953-1960.
272. Mezquida, E.T., Villaran, A., Pascual-Parra, J. 2007. Timing of autumn bird migration in central Spain in light of recent climate change. *ARDEOLA*, 54: 251-259.
273. Prochazka, P., Hobson, K.A., Karcza, Z., Kralj, J. 2008. Birds of a feather winter together: migratory connectivity in the Reed Warbler *Acrocephalus scirpaceus*. *JOURNAL OF ORNITHOLOGY*, 149: 141-150.
274. Gordo, O., Sanz, J.J. 2008. The relative importance of conditions in wintering and passage areas on spring arrival dates: the case of long-distance Iberian migrants. *JOURNAL OF ORNITHOLOGY*, 149: 199-210.
275. Solonen, T. 2008. Large-scale climatic phenomena and timing of breeding in a local population of the Osprey *Pandion haliaetus* in southern Finland. *JOURNAL OF ORNITHOLOGY*, 149: 229-235.
276. Sherrill-Mix, S.A., James, M.C., Myers, R.A. 2008. Migration cues and timing in leatherback sea turtles. *BEHAVIORAL ECOLOGY*, 19s: 231-236.
277. Studds, C.E., Kyser, T.K., Marra, P.P. 2008. Natal dispersal driven by environmental conditions interacting across the annual cycle of a migratory songbird. *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA*, 105: 2929-2933.
278. Jonzen, N., Ergon, T., Linden, A., Stenseth, N.C. 2007. Bird migration and climate – Introduction. *CLIMATE RESEARCH*, 35: 1-3.
279. Pulido, F. 2007. Phenotypic changes in spring arrival: evolution, phenotypic plasticity, effects of weather and condition. *CLIMATE RESEARCH*, 35: 5-23.
280. Gienapp, P., Leimu, R., Merila, J. 2007. Responses to climate change in avian migration time - microevolution versus phenotypic plasticity. *CLIMATE RESEARCH*, 35: 25-35.
281. Gordo, O. 2007. Why are bird migration dates shifting? A review of weather and climate effects on avian migratory phenology. *CLIMATE RESEARCH*, 35: 37-58.
282. Knudsen, E., Linden, A., Ergon, T., Jonzen, N., Vik, J.O., Knape, J., Roer, J.E., Stenseth, N.C. 2007. Characterizing bird migration phenology using data from standardized monitoring at bird observatories. *CLIMATE RESEARCH*, 35: 59-77.
283. Both, C., te Marvelde, L. 2007. Climate change and timing of avian breeding and migration throughout Europe. *CLIMATE RESEARCH*, 35: 93-105.
284. Studds, C.E., Marra, P.P. 2007. Linking fluctuations in rainfall to nonbreeding season performance in a long-distance migratory bird, *Setophaga ruticilla*. *CLIMATE RESEARCH*, 35: 115-122.
285. Jonzen, N., Ergon, T., Linden, A., Stenseth, N.C. 2007. Bird migration and climate: the general picture and beyond. *CLIMATE RESEARCH*, 35: 177-180.

286. Wilson, W.H. 2007. Spring arrival dates of migratory breeding birds in Maine: Sensitivity to climate change. *WILSON JOURNAL OF ORNITHOLOGY*, 119: 665-677.
287. Morozov, N.S. 2007. Changes in the timing of migration and winter records of the common buzzard (*Buteo buteo*) in the central part of European Russia: The effect of global warming? *ZOOLOGICHESKY ZHURNAL*, 86: 1336-1355.
288. Weidinger, K., Kral, M. 2007. Climatic effects on arrival and laying dates in a long-distance migrant, the Collared Flycatcher *Ficedula albicollis*. *IBIS*, 149: 836-847.
289. Hegyi, G., Torok, J., Garamszegi, L.Z., Rosivall, B., Szollosi, E., Hargitai, R. 2007. Dynamics of multiple sexual signals in relation to climatic conditions. *EVOLUTIONARY ECOLOGY RESEARCH*, 9: 905-920.
290. Vergara, P., Aguirre, J.I., Fernandez-Cruz, M. 2007. Arrival date, age and breeding success in white stork *Ciconia ciconia*. *JOURNAL OF AVIAN BIOLOGY*, 38: 573-579.
291. Norris, D.R., Marra, P.P. 2007. Seasonal interactions, habitat quality, and population dynamics in migratory birds. *CONDOR*, 109: 535-547.
292. Drent, R.H. 2006. The timing of birds' breeding seasons: the Perrins hypothesis revisited especially for migrants. *Ardea*, 94: 305-322.
293. Both, C., Sanz, J.J., Artemyev, A.V., Blaauw, B., Cowie, R.J., Dekhuizen, A.J., Enemar, A., Javinen, A., Nyholm, N.E.I., Potti, J., Ravussin, P.A., Silverin, B., Slater, F.M., Sokolov, L.V., Visser, M.E., Winkel, W., Wright, J., Zang, H. 2006. Pied Flycatchers *Ficedula hypoleuca* travelling from Africa to breed in Europe: differential effects of winter and migration conditions on breeding date. *Ardea*, 94: 511-525.
294. Mazerolle, D.F., Hobson, K.A. 2007. Patterns of differential migration in white-throated sparrows evaluated with isotopic measurements of feathers. *Canadian Journal of Zoology - Revue Canadienne de Zoologie*, 85: 413-420.
295. Jiquet, F., Julliard, R., Thomas, C.D., Dehorter, O., Newson, S.E., Couvet, D. 2006. Thermal range predicts bird population resilience to extreme high temperatures. *Ecology Letters*, 9: 1321-1330.
296. Brown, D.R., Sherry, T.W. 2006. Food supply controls the body condition of a migrant bird wintering in the tropics. *Oecologia*, 149: 22-32.
297. Schaefer, T., Ledebur, G., Beier, J., Leisler, B., 2006. Reproductive responses of two related coexisting songbird species to environmental changes: global warming, competition, and population sizes. *Journal of Ornithology*, 147: 47-56.
298. Salewski, V., Jones, P. 2006. Palearctic passerines in Afrotropical environments: a review. *Journal of Ornithology*, 147: 192-201.
299. Bijlsma, R.G., van den Brink, B. 2005. A Barn Swallow *Hirundo rustica* roost under attack: timing and risks in the presence of African Hobbies *Falco cuvieri*. *Ardea*, 93: 37-48.
300. Zalakevicius, M., Bartkeviciene, G., Raudonikis, L., Janulaitis, J. 2006. Spring arrival response to climate change in birds: a case study from eastern Europe. *Journal of Ornithology*, 147: 326-343.
301. Huppopp, O., Winkel, W. 2006. Climate change and timing of spring migration in the long-distance migrant *Ficedula hypoleuca* in central Europe: the role of spatially different temperature changes along migration routes. *Journal of Ornithology*, 147: 344-353.
302. Both, C., Bijlsma, R.G., Visser, M.E. 2005. Climatic effects on timing of spring migration and breeding in a long-distance migrant, the pied flycatcher *Ficedula hypoleuca*. *Journal of Avian Biology*, 36: 368-373.
303. Torok, J., Hegyi, G., Toth, L., Konczey, R. 2004. Unpredictable food supply modifies costs of reproduction and hampers individual optimization. *Oecologia*, 141: 432-443.
304. Gordo, O., Brotons, L., Ferrer, X., Comas, P. 2005. Do changes in climate patterns in wintering areas affect the timing of the spring arrival of trans-Saharan migrant birds? *Global Change Biology*, 11: 12-21.
305. Pulido, F., Berthold, P. 2004. Microevolutionary response to climatic change. *Advances in Ecological Research*, 35: 151-183.
306. Sparks, T.H., Tryjanowski, P. 2005. The detection of climate impacts: Some methodological considerations. *International Journal of Climatology*, 25: 271-277.

307. Scheifinger, H., Koch, E., Winkler, H. 2005. Results of a first look into the Austrian animal phenological records. *Meteorologische Zeitschrift*, 14: 203-209.
308. Schaub, M., Kania, W., Koppen, U. 2005. Variation of primary production during winter induces synchrony in survival rates in migratory white storks *Ciconia ciconia*. *Journal of Animal Ecology*, 74: 656-666.

***Függő citáció:***

309. Moller, A.P., Rubolini, D., Lehikoinen, E. 2008. Populations of migratory bird species that did not show a phenological response to climate change are declining. *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA*, 105: 16195-16200.
310. Saino, N., Martinelli, R., Romano, M. 2008. Ecological and phenological covariates of offspring sex ratio in barn swallows. *EVOLUTIONARY ECOLOGY*, 22: 659-674.
311. Moller, A.P. 2008. Climate change and micro-geographic variation in laying date. *OECOLOGIA*, 155: 845-857.
312. Saino, N., Ambrosini, R. 2008. Climatic connectivity between Africa and Europe may serve as a basis for phenotypic adjustment of migration schedules of trans-Saharan migratory birds. *GLOBAL CHANGE BIOLOGY*, 14: 250-263.
313. Saino, N., Rubolini, D., Jonzen, N., Ergon, T., Montemaggiori, A., Stenseth, N.C., Spina, F. 2007. Temperature and rainfall anomalies in Africa predict timing of spring migration in trans-Saharan migratory birds. *CLIMATE RESEARCH*, 35: 123-134.
314. Rubolini, D., Ambrosini, R., Caffi, M., Bricchetti, P., Armiraglio, S., Saino, N. 2007. Long-term trends in first arrival and first egg laying dates of some migrant and resident bird species in northern Italy. *INTERNATIONAL JOURNAL OF BIOMETEOROLOGY*, 51: 553-563.
315. Brambilla, M., Rubolini, D., Guidali, F. 2007. Between land abandonment and agricultural intensification: habitat preferences of Red-backed Shrikes *Lanius collurio* in low-intensity farming conditions. *BIRD STUDY*, 54: 160-167.
316. Moller, A.P., Flensted-Jensen, E., Mardal, W. 2007. Black beak tip coloration as a signal of phenotypic quality in a migratory seabird. *BEHAVIORAL ECOLOGY AND SOCIOBIOLOGY*, 61: 1561-1571.
317. Moller, A.P., Flensted-Jensen, E., Mardal, W. 2006. Dispersal and climate change: a case study of the Arctic tern *Sterna paradisaea*. *Global Change Biology*, 12: 2005-2013.
318. Jonzen, N., Linden, A., Ergon, T., Knudsen, E., Vik, J.O., Rubolini, D., Piacentini, D., Brinch, C., Spina, F., Karlsson, L., Stervander, M., Andersson, A., Waldenstrom, J., Lehikoinen, A., Edvardsen, E., Solvang, R., Stenseth, N.C. 2006. Rapid advance of spring arrival dates in long-distance migratory birds. *Science*, 312: 1959-1961.
319. Moller, A.P. 2004. Protandry, sexual selection and climate change. *Global Change Biology*, 10: 2028-2035.
320. Moller, A.P., Berthold, P., Fiedler, W. 2004. The challenge of future research on climate change and avian biology. *Advances in Ecological Research*, 35: 237-245.
321. Rubolini, D., Spina, F., Saino, N. 2005. Correlates of timing of spring migration in birds: a comparative study of trans-Saharan migrants. *Biological Journal of the Linnean Society*, 85: 199-210.
- **Saino, N., Szép, T., Ambrosini, R., Romano, M., Møller, A.P. 2004. Ecological conditions during winter affect sexual selection and breeding in a migratory bird. *Proc. R. Soc. Lond. B.*, 271: 681-686.**
322. Gordo, O., Sanz, J.J. 2008. The relative importance of conditions in wintering and passage areas on spring arrival dates: the case of long-distance Iberian migrants. *JOURNAL OF ORNITHOLOGY*, 149: 199-210.
323. Pulido, F. 2007. Phenotypic changes in spring arrival: evolution, phenotypic plasticity, effects of weather and condition. *CLIMATE RESEARCH*, 35: 5-23.
324. Gordo, O. 2007. Why are bird migration dates shifting? A review of weather and climate



- effects on avian migratory phenology. *CLIMATE RESEARCH*, 35: 37-58.
325. Weidinger, K., Kral, M. 2007. Climatic effects on arrival and laying dates in a long-distance migrant, the Collared Flycatcher *Ficedula albicollis*. *IBIS*, 149: 836-847.
326. Hegyi, G., Torok, J., Garamszegi, L.Z., Rosivall, B., Szollosi, E., Hargitai, R. 2007. Dynamics of multiple sexual signals in relation to climatic conditions. *EVOLUTIONARY ECOLOGY RESEARCH*, 9: 905-920.
327. Norris, D.R., Marra, P.P. 2007. Seasonal interactions, habitat quality, and population dynamics in migratory birds. *CONDOR*, 109: 535-547.
328. Lubbe, S.K., De Snoo, G.R. 2007. Effect of dairy farm management on Swallow *Hirundo rustica* abundance in The Netherlands. *BIRD STUDY*, 54: 176-181.
329. Tilt, J.H., Unfried, T.M., Roca, B. 2007. Using objective and subjective measures of neighborhood greenness and accessible destinations for understanding walking trips and BMI in Seattle, Washington. *American Journal of Health Promotion*, 21: 371-379.
330. Spottiswoode, C.N., Tottrup, A.P., Coppack, T. 2006. Sexual selection predicts advancement of avian spring migration in response to climate change. *Proceedings of the Royal Society B-Biological Sciences*, 273: 3023-3029.
331. Norris, D.R., Taylor, C.M. 2006. Predicting the consequences of carry-over effects for migratory populations. *Biology Letters*, 2: 148-151.
332. Newton, I. 2006. Can conditions experienced during migration limit the population levels of birds? *Journal of Ornithology*, 147: 146-166.
333. Gordo, O., Sanz, J.J. 2006. Climate change and bird phenology: a long-term study in the Iberian Peninsula. *Global Change Biology*, 12: 1993-2004.
334. Laaksonen, T., Ahola, M., Eeva, T., Vaisanen, R.A., Lehikoinen, E. 2006. Climate change, migratory connectivity and changes in laying date and clutch size of the pied flycatcher. *Oikos*, 114: 277-290.
335. Drent, R.J., Fox, A.D., Stahl, J. 2006. Travelling to breed. *Journal of Ornithology*, 147: 122-134.
336. Coppack, T., Tottrup, A.P., Spottiswoode, C. 2006. Degree of protandry reflects level of extrapair paternity in migratory songbirds. *Journal of Ornithology*, 147: 260-265.
337. Pettorelli, N., Vik, J.O., Mysterud, A., Gaillard, J.M., Tucker, C.J., Stenseth, N.C. 2005. Using the satellite-derived NDVI to assess ecological responses to environmental change. *Trends in Ecology and Evolution*, 20: 503-510.

***Függő citáció:***

338. Moller, A.P. 2008. Climate change and micro-geographic variation in laying date. *OECOLOGIA*, 155: 845-857.
339. Saino, N., Ambrosini, R. 2008. Climatic connectivity between Africa and Europe may serve as a basis for phenotypic adjustment of migration schedules of trans-Saharan migratory birds. *GLOBAL CHANGE BIOLOGY*, 14: 250-263.
340. Moller, A.P., Flensted-Jensen, E., Mardal, W. 2007. Black beak tip coloration as a signal of phenotypic quality in a migratory seabird. *BEHAVIORAL ECOLOGY AND SOCIOBIOLOGY*, 61: 1561-1571.
341. Moller, A.P., de Lope, F., Saino, N. 2005. Reproduction and migration in relation to senescence in the barn swallow *Hirundo rustica*: A study of avian 'centenarians'. *AGE*, 27: 307-318.
342. Moller, A.P., Flensted-Jensen, E., Mardal, W. 2006. Dispersal and climate change: a case study of the Arctic tern *Sterna paradisaea*. *Global Change Biology*, 12: 2005-2013.
343. Moller, A.P., Chabi, Y., Cuervo, J.J., Lope, F., Kilpimaa, J., Kose, M., Matyjasiak, P., Pap, P.L., Saino, N., Sakraoui, R., Schifferli, L., Hirschheydt, J. 2006. An analysis of continent-wide patterns of sexual selection in a Passerine bird. *Evolution*, 60: 856-868.
344. Moller, A.P., Berthold, P., Fiedler, W. 2004. The challenge of future research on climate change and avian biology. *Advances in Ecological Research*, 35: 237-245.
345. Moller, A.P. 2004. Protandry, sexual selection and climate change. *Global Change Biology*, 10: 2028-2035.

- **Pap, P.L., Tökölyi, J., Szép, T. 2005. Frequency and consequences of feather holes in Barn Swallows *Hirundo rustica*. *Ibis*, 147: 169-175.**
  
- 346. Vas, Z., Csorgo, T., Moller, A.P., Rozsa, L. 2008. The Feather Holes on the Barn Swallow *Hirundo rustica* and Other Small Passerines are Probably Caused by *Brueelia* Spp. Lice. *JOURNAL OF PARASITOLOGY*, 94: 1438-1440.
- 347. Moreno-Rueda, G. 2005. Is the white wing-stripe of male House Sparrows *Passer domesticus* an indicator of the load of Mallophaga? *Ardea*, 93: 109-114.
  
- Függő citáció:***
- 348. Pap, P.L., Barta, Z., Tokolyi, J., Vagasi, C.I. 2007. Increase of feather quality during moult: a possible implication of feather deformities in the evolution of partial moult in the great tit *Parus major*. *Journal of Avian Biology*, 38: 471-478.
- 349. Moller, A.P., Chabi, Y., Cuervo, J.J., Lope, F., Kilpimaa, J., Kose, M., Matyjasiak, P., Pap, P.L., Saino, N., Sakraoui, R., Schifferli, L., Hirschheydt, J. 2006. An analysis of continent-wide patterns of sexual selection in a Passerine bird. *Evolution*, 60: 856-868.
  
- **Szép, T., Møller, A.P. 2005. Environmental conditions on migration and the winter quarters and survival of migratory birds. In: *Birds of Two World* (ed. Greenberg, R. and Marra, P.) Johns Hopkins Press, Washington**
  
- 350. Both, C., Sanz, J.J., Artemyev, A.V., Blaauw, B., Cowie, R.J., Dekhuizen, A.J., Enemar, A., Javinen, A., Nyholm, N.E.I., Potti, J., Ravussin, P-A., Silverin, B., Slater, F.M., Sokolov, L.V., Visser, M.E., Winkel, W., Wright, J., Zang, H. 2006. Pied Flycatchers *Ficedula hypoleuca* travelling from Africa to breed in Europe: differential effects of winter and migration conditions on breeding date. *Ardea*, 94: 511-525.
- 351. Drent, R.J., Fox, A.D., Stahl, J. 2006. Travelling to breed. *Journal of Ornithology*, 147: 122-134.
  
- **Møller, A.P., Szép, T. 2005. Rapid evolutionary change in a secondary sexual character linked to climatic change. *Journal of Evolutionary Biology*, 18: 481-495.**
  
- 352. Reif, J., Vorisek, P., St'astny, K., Koschova, M., Bejcek, V. 2008. The impact of climate change on long-term population trends of birds in a central European country. *ANIMAL CONSERVATION*, 11: 412-421.
- 353. Gordo, O., Sanz, J.J. 2008. The relative importance of conditions in wintering and passage areas on spring arrival dates: the case of long-distance Iberian migrants. *JOURNAL OF ORNITHOLOGY*, 149: 199-210.
- 354. Hegyi, G., Rosivall, B., Szollosi, E., Hargitai, R., Eens, M., Torok J. 2008. Phenotypic plasticity in a conspicuous female plumage trait: information content and mating patterns. *ANIMAL BEHAVIOUR*, 75: 977-989.
- 355. Tinghitella, R.M. 2008. Rapid evolutionary change in a sexual signal: genetic control of the mutation 'flatwing' that renders male field crickets (*Teleogryllus oceanicus*) mute. *HEREDITY*, 100: 261-267.
- 356. Saino, N., Ambrosini, R. 2008. Climatic connectivity between Africa and Europe may serve as a basis for phenotypic adjustment of migration schedules of trans-Saharan migratory birds. *GLOBAL CHANGE BIOLOGY*, 14: 250-263.
- 357. Pulido, F. 2007. Phenotypic changes in spring arrival: evolution, phenotypic plasticity, effects of weather and condition. *CLIMATE RESEARCH*, 35: 5-23.
- 358. Gordo, O. 2007. Why are bird migration dates shifting? A review of weather and climate effects on avian migratory phenology. *CLIMATE RESEARCH*, 35: 37-58.
- 359. Rainio, K., Tottrup, A.P., Lehikoinen, E., Coppack, T. 2007. Effects of climate change on the degree of protandry in migratory songbirds. 2007. *CLIMATE RESEARCH*, 35: 107-114.

360. Ahola, M.P., Laaksonen T., Eeva T., Lehikoinen E., 2007. Climate change can alter competitive relationships between resident and migratory birds. *JOURNAL OF ANIMAL ECOLOGY*, 76: 1045-1052.
361. Hegyi, G., Torok, J., Garamszegi, L.Z., Rosivall, B., Szollosi, E., Hargitai, R. 2007. Dynamics of multiple sexual signals in relation to climatic conditions. *EVOLUTIONARY ECOLOGY RESEARCH*, 9: 905-920.
362. Svensson, E.I., Gosden, T.P. 2007. Contemporary evolution of secondary sexual traits in the wild. *Functional Ecology*, 21: 422-433.
363. Both, C. 2007. Comment on "Rapid advance of spring arrival dates in long-distance migratory birds". *Science*, 315: 598.
364. Twiss, S.D., Thomas, C., Poland, V., Graves, J.A., Pomeroy, P. 2007. The impact of climatic variation on the opportunity for sexual selection. *Biology Letters*, 3: 12-15.
365. Hoffmann, A.A., Daborn, P.J. 2007. Towards genetic markers in animal populations as biomonitors for human-induced environmental change. *Ecology Letters*, 10: 63-76.
366. Hegyi, G., Torok, J., Toth, L., Garamszegi, L.Z., Rosivall, B. 2006. Rapid temporal change in the expression and age-related information content of a sexually selected trait. *Journal of Evolutionary Biology*, 19: 228-238.
367. Laaksonen, T., Ahola, M., Eeva, T., Vaisanen, R.A., Lehikoinen, E. 2006. Climate change, migratory connectivity and changes in laying date and clutch size of the pied flycatcher. *Oikos*, 114: 277-290.
368. Ayllon, F., Davaine, P., Beall, E., Garcia-Vazquez, E. 2006. Dispersal and rapid evolution in brown trout colonizing virgin Subantarctic ecosystems. *Journal of Evolutionary Biology*, 19: 1352-1358.
369. Coppack, T., Tottrup, A.P., Spottiswoode, C. 2006. Degree of protandry reflects level of extrapair paternity in migratory songbirds. *Journal of Ornithology*, 147: 260-265.
370. Charmantier, A., Perrins, C., McCleery, R.H., Sheldon, B.C. 2006. Evolutionary response to selection on clutch size in a long-term study of the mute swan. *American Naturalist*, 167: 453-465.

***Függő citáció:***

371. Moller, A.P. 2008. Distribution of arrival dates in a migratory bird in relation to environmental conditions, natural selection and sexual selection. *ETHOLOGY ECOLOGY & EVOLUTION*, 20: 193-210.
372. Grosbois, V., Gimenez, O., Gaillard, J.M., Pradel, R., Barbraud, C., Clobert, J., Moller, A.P., Weimerskirch, H. 2008. Assessing the impact of climate variation on survival in vertebrate populations. *BIOLOGICAL REVIEWS*, 83: 357-399.
373. Moller, A.P. 2008. Climate change and micro-geographic variation in laying date. *OECOLOGIA*, 155: 845-857.
374. Moller, A.P., Chabi, Y., Cuervo, J.J., Lope, F., Kilpimaa, J., Kose, M., Matyjasiak, P., Pap, P.L., Saino, N., Sakraoui, R., Schifferli, L., Hirschheydt, J. 2006. An analysis of continent-wide patterns of sexual selection in a Passerine bird. *Evolution*, 60: 856-868.
375. Moller, A.P. 2006. Rapid change in nest size of a bird related to change in a secondary sexual character. *Behavioral Ecology*, 17: 108-116.
- **Pap, P.L., Tökölyi, J., Szép, T. 2005. Host-symbiont relationship and abundance of feather mites in relation to age and body condition of the barn swallow (*Hirundo rustica*): an experimental study. *Canadian Journal of Zoology*, 83: 1059-1066.**
376. Smits, J.E. 2007. Are we enlightened about the immunocompetence of a severely inbred population of New Zealand robins? Challenges inherent in studies using immunological endpoints. *Animal Conservation*, 10: 14-16.
377. Brown, C.R., Brazeal, K.R., Strickler, S.A., Brown, M.B. 2006. Feather mites are positively associated with daily survival in cliff swallows. *Canadian Journal of Zoology-Revue*

- **Møller, A.P., Mousseau, T.A., Milinevsky, G., Peklo, A., Pysanets, E., Szép, T. 2005. Condition, reproduction and survival of barn swallows from Chernobyl. *Journal of Animal Ecology*, 74: 1102-1111.**

378. Isaksson, C., Sturve, J., Almroth, B. C., Andersson, S. 2009. ENVIRONMENTAL RESEARCH, 109: 46-50.
379. Geras'kin, S.A., Fesenko, S.V., Alexakhin, R.M. 2008. Effects of non-human species irradiation after the Chernobyl NPP accident. ENVIRONMENT INTERNATIONAL, 34: 880-897.
380. Smith, J. T. 2008. Is Chernobyl radiation really causing negative individual and population-level effects on barn swallows? BIOLOGY LETTERS, 4: 63-64.
381. Hinton, T.G., Alexakhin, R., Balonov, M., Gentner, N., Hendry, J., Prister, B., Strand, P., Woodhead, D. 2007. Radiation-induced effects on plants and animals: Findings of the united nations Chernobyl forum. HEALTH PHYSICS, 93: 427-440.

***Függő citáció:***

382. Moller, A.P., Mousseau, T.A., Rudolfsen, G., Balbontin, J., Marzal, A., Hermosell, I., De Lope, F. 2009. Senescent sperm performance in old male birds. JOURNAL OF EVOLUTIONARY BIOLOGY, 22: 334-344.
383. Moller, A.P., Mousseau, T.A. 2009. Reduced abundance of raptors in radioactively contaminated areas near Chernobyl. JOURNAL OF ORNITHOLOGY, 150: 239-246.
384. Moller, A.P., Karadas, F., Mousseau, T.A. 2008. Antioxidants in eggs of great tits *Parus major* from Chernobyl and hatching success. JOURNAL OF COMPARATIVE PHYSIOLOGY B-BIOCHEMICAL SYSTEMIC AND ENVIRONMENTAL PHYSIOLOGY, 178: 735-743.
385. Moller, A. P., Mousseau, T.A., Lynn, C., Ostermiller, S., Rudolfsen, G. 2008. Impaired swimming behaviour and morphology of sperm from barn swallows *Hirundo rustica* in Chernobyl. MUTATION RESEARCH-GENETIC TOXICOLOGY AND ENVIRONMENTAL MUTAGENESIS, 650: 210-216.
386. Moller, A. P., Mousseau, T.A., de Lope, F., Saino, N. 2008. Anecdotes and empirical research in Chernobyl. BIOLOGY LETTERS, 4: 65-66.
387. Moller, A. P., Mousseau, T.A. 2007. Determinants of interspecific variation in population declines of birds after exposure to radiation at Chernobyl. JOURNAL OF APPLIED ECOLOGY, 44: 909-919.
388. Moller, A. P., Mousseau, T.A. 2007. Species richness and abundance of forest birds in relation to radiation at Chernobyl. BIOLOGY LETTERS, 3: 483-486.
389. Moller, A.P., Mousseau, T.A., de Lope, F., Saino, N. 2007. Elevated frequency of abnormalities in barn swallows from Chernobyl. BIOLOGY LETTERS, 3: 414-417.
390. Moller, A.P., Mousseau, T.A. 2007. Birds prefer to breed in sites with low radioactivity in Chernobyl. Proceedings of the Royal Society B-Biological Sciences, 274: 1443-1448.
391. Moller, A.P., Hobson, K.A., Mousseau, T.A., Peklo, A.M. 2006. Chernobyl as a population sink for barn swallows: Tracking dispersal using stable-isotope profiles. Ecological Applications, 16: 1696-1705.
392. Moller, A.P., Mousseau, T.A. 2006. Biological consequences of Chernobyl: 20 years on. Trends in Ecology & Evolution, 21: 200-207.
- **Szép, T., Møller, A.P., Piper, S., Nuttall, R., Szabó, D.Z., Pap, P.L. 2006. Searching for potential wintering and migration areas of a Danish Barn Swallow population in South Africa by using an NDVI and a survival method. *Journal of Ornithology*, 147: 245-253. DOI 10.1007/s10336-006-0060-x**
393. Prochazka, P., Hobson, K.A., Karcza, Z., Kralj, J. 2008. Birds of a feather winter together: migratory connectivity in the Reed Warbler *Acrocephalus scirpaceus*. JOURNAL OF

ORNITHOLOGY, 149: 141-150.

394. Saino, N., Ambrosini, R. 2008. Climatic connectivity between Africa and Europe may serve as a basis for phenotypic adjustment of migration schedules of trans-Saharan migratory birds. *GLOBAL CHANGE BIOLOGY*, 14: 250-263.
395. Gordo, O. 2007. Why are bird migration dates shifting? A review of weather and climate effects on avian migratory phenology. *CLIMATE RESEARCH*, 35: 37-58.
396. Ahola, M.P., Laaksonen T., Eeva T., Lehikoinen E., 2007. Climate change can alter competitive relationships between resident and migratory birds. *JOURNAL OF ANIMAL ECOLOGY*, 76: 1045-1052.
397. Underhill, L.G. 2007. Do danish barn swallows potentially migrate to the Karoo, South Africa? *Journal of Ornithology*, 148: 255-256.
- **Pauliny, P., Wagner, R.H., Augustin, J., Szép, T., Blomqvist, D. 2006. Age-independent telomere length predicts fitness in two bird species. *Molecular Ecology*, 15: 1681-1687.**
398. Holmes, D., Martin, K. 2009. A BIRD'S-EYE VIEW OF AGING: WHAT'S IN IT FOR ORNITHOLOGISTS? *AUK*, 126: 1-23.
399. Horn, T., Gemmell, N. J., Robertson, B. C., Bridges CR. 2008. Telomere length change in European sea bass (*Dicentrarchus labrax*). *AUSTRALIAN JOURNAL OF ZOOLOGY*, 56: 207-210.
400. Monaghan, P., Charmantier, A., Nussey, D. H., Ricklefs, R. E. 2008. The evolutionary ecology of senescence. *FUNCTIONAL ECOLOGY*, 22: 371-378.
401. Vleck, C. M., Haussmann, Ma. F., Vleck, D. 2007. Avian senescence: underlying mechanisms. *JOURNAL OF ORNITHOLOGY*, 148: S611-S624.
402. Pizzari, T, Dean, R., Pacey, A., Moore, H., Bonsall, M. B. 2008. The evolutionary ecology of pre- and post-meiotic sperm senescence. *TRENDS IN ECOLOGY & EVOLUTION*, 23: 131-140.
403. Haussmann, M. F., Mauck, R. A. 2008. New strategies for telomere-based age estimation. *MOLECULAR ECOLOGY RESOURCES*, 8: 264-274.
404. Haussmann, M.F., Winkler, D.W., Huntington, C.E., Nisbet, I.C.T., Vleck, C.M. 2007. Telomerase activity is maintained throughout the lifespan of long-lived birds. *Experimental Gerontology*, 42: 610-618.
405. Jemielity, S., Kimura, M., Parker, K.M., Parker, J.D., Cao, X.J., Aviv, A., Keller, L. 2007. Short telomeres in short-lived males: what are the molecular and evolutionary causes? *Aging Cell*, 6: 225-233.
- **Augustin, J., Blomqvist, D., Szép, T., Szabó, D.Z., Wagner, R.H. 2007. No evidence of genetic benefits from extra-pair fertilisations in female sand martins (*Riparia riparia*). *Journal of Ornithology*, 148: 189-198. DOI 10.1007/s10336-006-0119-8**
406. Dreiss, A. N., Silva, N., Richard, M., Moyon, F., They, M., Moller, A. P., Danchin, E. 2008. Condition-dependent genetic benefits of extrapair fertilization in female blue tits *Cyanistes caeruleus*. *Journal of Evolutionary Biology*, 21: 1814-1822.